

TIMBERLINE™

a Professional Brand of  **Amana Tool®**





CONTRACTOR TOOLS OFFERING *SUPERIOR CUTS & SMOOTH CUTTING PERFORMANCE!*

If you're looking for woodworking, carpentry, and contractor tools that offer superior cuts and smooth performance at prices that can't be beat --- then look no further. Timberline™ router bits, saw blades, cutters and accessories boast high quality at an affordable price. Each Timberline tool is carefully engineered and manufactured to maximize performance while stretching your tool budget.

Timberline began several years ago as a response to budget-conscious woodworkers looking for high-quality Thin-Kerf saw blades at an affordable price. The product line has now grown to include over 500 router bits, saw blades and cutters. And in fact, we've added dozens of new and innovative products to this year's Timberline catalog. As you look through the catalog you'll now find diamond blades for cutting masonry, stone, and ceramic tiles. Our new carbide-tipped drill bits will also cut a wide variety of hard and abrasive materials. For woodworkers, we've expanded our line of drill bits, countersinks, plug cutters and jig saw blades. We have every design you'll need from, phillips-drive to Torx® in a variety of different lengths.

Whether you're a serious woodworking enthusiast or a professional contractor you're sure to find the tool you need.

Despite the lower cost, Amana Tool® has not cut corners with the Timberline product line. Each tool utilizes only the finest steel and micro-grain carbide. And our CNC sharpening technology and cutting geometry is world renown. Timberline saw blades are skillfully heat-treated, and fully tensioned in order to provide you with smooth cutting performance. All Timberline router bits feature the latest in anti-kickback design technology; this important feature limits the cutting depth which ensures that our bits are safer for your use.

We invite you to give Timberline products a try. We're confident that you won't find finer cutting tools at a lower price, and we're confident that you'll also be pleased with their performance, too!

To find the dealer nearest to you just visit our website at www.timberline-amana.com. Or give us a call at 800-445-0077.

Timberline/Amana Tool are not responsible for typographical errors. All specifications in this catalog are subject to change without notice.
Copyright © 2017 by Amana Tool



SAW BLADES
Pages 34-51



HAND TOOLS
Pages 70-71



ROUTER BITS
Pages 2-23



BORING
Pages 56-59



QUICK RELEASE
Pages 58-65



a Professional Brand of **Amana Tool**



DRILLING
Pages 52-57



SPADE BITS
Pages 61, 68



ROUTER BITS SETS
Pages 24-33

CARBIDE TIPPED ROUTER BITS 2-23

ARCHITECTURAL MOLDING	13
BEAD & COVE	9-10
BEADING	8
BEVEL TRIM	4-5
BOWL & TRAY	6
BULLNOSE	9
CHAMFER	8
CLASSICAL GROOVE	6
CLASSICAL PLUNGE	7
CONVEX EDGING	9
CORE BOX	5-6
CORNER EDGE BEADING	12
CORNER ROUND	8
COVE	9
CROWN MOLDING	13
DOOR LIP	23
DOVETAIL	16
FINGER GRIP	23
FLUSH TRIM	3-4
GLUE JOINT	17
KEYHOLE	17
LEAF-EDGE BEADING	12
LOCK MITER	17
MATCH BEAD	12
MORTISING	3
MULTI-FORM	14
OGEE	10
OGEE FILET	11
OGEE WINDOW SASH & RAIL	21
PLUNGE BEADING	7
RABBETING	15
RAISED PANEL BITS	21-23
ROMAN OGEE	11
ROUND OVER GROOVE	6
SIGNMAKING & LETTERING	5
SLOTING CUTTERS	16
SPECIAL INTEREST MOLDING	13
STRAIGHT PLUNGE BITS	2
STILE & RAIL SETS	18-21
TABLE DRAW EDGE	23
TABLE EDGE	14
TONGUE & GROOVE	17
TRIPLE BEAD	12
'V' GROOVE	5
WAVY EDGE	11

CARBIDE TIPPED ROUTER BIT SETS 24-33

ALL PURPOSE SETS	26
CABINET DOOR MAKING SET.....	25, 28-29, 32
COVE RAISED PANEL DOOR MAKING SETS	28
DOOR MAKING SET	27
HANDY 24-PIECE ROUTER BIT SET.....	33
GLASS DOOR MAKING SET	29
MOULDING SET	31
MULTI 3-WING SLOT CUTTER SET	33
OGEE RAISED PANEL DOOR MAKING SETS	25

SHAKER RAISED PANEL DOOR MAKING SET	29
STARTER SET	30
STEEL BALL BEARING GUIDES	33
TONGUE & GROOVE CABINET DOOR MAKING SET	27

SAW BLADES 34-51

DADO SET	41
DIAMOND SAW BLADES	39, 47-48
FIBERFORCE™	39
FLOOR KING® / FLOORING	45-46
JIG SAW BLADES	50-51
TI-CUT™	42-44
THIN KERF	34-43
GENERAL PURPOSE	34-37
PCD FOR FIBER CEMENT BOARD	39
FINISHING	38, 40
PROFESSIONAL SPECIALTY ALL PURPOSE	37
SLIDING COMPOUND MITER	39
ALUMINUM & NON-FERROUS	41
SAW BLADE REDUCING BUSHINGS	49
SAW BLADE STABILIZERS/STIFFENERS	49

DRILLING & BORING BITS 52-69

AUGER BITS	68
BI-METAL HOLE SAW	56
BI-METAL HOLE SAW MANDRELS	57
BRAD POINT	55
COBALT DRILL	54
DOWEL CENTER SET	57
FLAT BOTTOM COUNTERBORES	66
FORSTNER BITS	67
CARBIDE TIPPED	67
COIN SIZED FORSTNER BITS	67
SAW TOOTH FORSTNER BIT SET	67
HIGH-SPEED STEEL	54
HINGE BORING	66
HSS LONG SLOT MORTISE BITS	69
LOCKSET INSTALLATION KITS	69
MASONRY-HAMMER DRILL	53
MORTISING CHISELS & BITS	69
MULTI-PURPOSE DRILL	53
QUICK RELEASE SYSTEM	58-69
82° HSS COUNTERSINKS	60
82° TITANIUM COATED HSS COUNTERSINKS	60
ADJUSTABLE DRYWALL SCREW SETTER	64
AUGER BITS	68
BROKEN SCREW REMOVER	65
CARBIDE TIPPED BORING	59
CARBIDE TIPPED COUNTERBORES	59
CARBIDE TIPPED COUNTERSINKS	59
CARBIDE TIPPED GLASS & TILE DRILLS ..	60
CEILING TILE HANGER	61
COUNTERSINK SET	65
DEPTH STOPS FOR COUNTERSINKS	59
DRILL & DRIVE COUNTERSINK SET	65
DRILL ADAPTERS WITH DRILL BITS	58

DRILL ADAPTERS WITH TAPER POINT DRILLS	58
DRYWALL BIT TIPS	63
DRYWALL SCREW SETTER	64
EXTENSIONS	62
E-Z QUICK CHANGE BIT SET & CASE	65
FACE FRAME COUNTERBORES	60
HEX BIT TIPS	64
HSS COUNTERSINKS	59
KEYLESS CHUCK	58
MAGNETIC BIT HOLDER	61
MAGNETIC DRIVE GUIDE	61
MAGNETIC NUT SETTER	62
PHILLIPS SCREW BIT TIPS	63
PLUG CUTTERS	59
POZIDRIVE® INSERT BITS	64
SELF CENTERING DRILL BIT GUIDES	60
SLOTTED SCREW BIT TIPS	62-63
SOCKET ADAPTERS	60
SPADE BITS WITH SPURS	61
SQUARE BIT TIPS	62
RTA FURNITURE DRILLS	58
TITANIUM COATED HSS DRILL SAW	62
TITANIUM NITRIDE COATED DRYWALL BIT TIPS	63
TORX® INSERT BITS	64
SLOTTED DRIVE SYSTEM BITS	52
SPADE BITS	68
SPADE BIT EXTENSION	68
SPADE BIT SET	68
SPADE BITS WITH SPURS	68
SPLIT RING DEPTH STOP	57
STRAIGHT WOOD PLUG CUTTERS	66
TAPERED WOOD PLUG CUTTERS	66
THE WORKHORSE - SELF FEEDING BIT	69
TITANIUM COATED STEP DRILL	57
TITANIUM NITRIDE COATED DRILL	55
WOOD PLUG CUTTER SET	66

HAND TOOLS 70-71

3 PIECE WOOD CHISEL SET	69
CARPENTER PENCILS	70
CORNER CHISEL	69
DIAMOND HONES	70
DOUBLE EDGE LAMINATE/VENEER TRIMMER	70
DOUBLE EDGE WALLBOARD	70
END TRIMMER	70
NOGA DEBURRING SYSTEM	71
SCORING TOOL - DUAL CARBIDE TIPPED	70

SAFETY AND PROTECTION 72

HEARING PROTECTION HEADSETS	72
LANYARD FOR SAFETY GLASSES	72
SAFETY GLASSES	72

INDEX 74-75

PRO LINE

Router Bits

Carbide Tipped

for professional workshops, contractors & hobbyists



Micro-grain carbide tips stay sharper, longer



JET BLACK COATING protects against rust and corrosion



High-precision cutting edges for chip-free and clean surface finish



Anti-kickback BG Certified design with chip limiter



Semi-mirror finish by Multi-Axis Grinding Machines for extra-long life



Heat treated for durability and precision cutting




Newly designed packaging.



STRAIGHT PLUNGE

RECTA UN FILO

1/4" & 1/2" Shank • Single Flute





ØD	B	Ød	L	Tool No.
1/8"	7/16"	1/4"	2"	100-01
1/4"	1"	1/4"	2-3/8"	100-02
1/2"	1-1/2"	1/2"	3-13/16"	110-08

STRAIGHT PLUNGE

RECTA DOS FILOS

1/4" Shank • 2 Flute





ØD	B	Ød	L	Tool No.
1/16"	3/16"	1/4"	1-3/4"	100-04
3/32"	1/4"	1/4"	1-13/16"	100-08
1/8"	7/16"	1/4"	2"	100-10
5/32"	7/16"	1/4"	2-5/16"	100-12
3/16"	3/4"	1/4"	2-1/2"	100-14
7/32"	3/4"	1/4"	2-1/8"	100-15
15/64"	3/4"	1/4"	2"	100-19
1/4"	1/2"	1/4"	2"	100-17
1/4"	3/4"	1/4"	2"	100-16
1/4"	1"	1/4"	2-1/4"	100-18
1/4"	1"	1/4"	2-7/8"	100-22
9/32"	1"	1/4"	2-1/4"	100-26
5/16"	1"	1/4"	2-1/4"	100-30
3/8"	1"	1/4"	2-1/4"	100-34
7/16"	1"	1/4"	2-1/8"	100-38
1/2"	3/4"	1/4"	1-3/4"	100-41
1/2"	1"	1/4"	2-1/8"	100-42
5/8"	3/4"	1/4"	2"	100-46
3/4"	3/4"	1/4"	2"	100-50
1"	3/4"	1/4"	2"	100-54

STRAIGHT PLUNGE

RECTA DOS FILOS

1/2" Shank • 2 Flute





ØD	B	Ød	L	Tool No.
1/4"	1"	1/2"	2-3/4"	110-10
5/16"	3/4"	1/2"	2-1/2"	100-56
5/16"	1"	1/2"	2-3/4"	110-11
3/8"	3/4"	1/2"	2-1/2"	110-12
3/8"	1"	1/2"	2-3/4"	110-14
3/8"	1-1/4"	1/2"	3"	110-15
7/16"	1-1/4"	1/2"	3"	110-16
15/32"	1-1/4"	1/2"	2-7/8"	110-17
1/2"	1"	1/2"	2-5/8"	110-18
1/2"	1-1/4"	1/2"	2-7/8"	110-22
1/2"	1-1/2"	1/2"	3-1/8"	110-26
1/2"	1-1/2"	1/2"	4-1/4"	110-19
1/2"	2"	1/2"	4-1/4"	110-28
1/2"	2-1/2"	1/2"	4-1/4"	110-50
9/16"	1-1/4"	1/2"	2-7/8"	110-29
5/8"	1"	1/2"	2-5/8"	110-44
5/8"	1-1/4"	1/2"	2-7/8"	110-30
5/8"	1-1/2"	1/2"	3-1/8"	110-52
5/8"	2"	1/2"	3-3/4"	100-40
23/32"	1-1/4"	1/2"	2-7/8"	110-31
3/4"	1"	1/2"	2-5/8"	110-33
3/4"	1-1/4"	1/2"	2-7/8"	110-34
3/4"	1-1/2"	1/2"	3-1/8"	110-36
3/4"	2"	1/2"	3-5/8"	110-37
25/32"	1-1/4"	1/2"	2-7/8"	110-54
7/8"	1-1/4"	1/2"	2-7/8"	110-38
1"	1-1/4"	1/2"	2-7/8"	110-42
1-1/4"	1-1/4"	1/2"	2-7/8"	110-46
1-1/2"	1-1/4"	1/2"	2-7/8"	110-48

MORTISING

MORTAJAS

1/4" & 1/2" Shank • 2 Flute

Used for cutting shallow mortises for hinges & locksets.




ØD	B	Ød	L	Tool No.
1/2"	3/4"	1/4"	2"	130-10
5/8"	3/4"	1/4"	2"	130-12
3/4"	3/4"	1/4"	2"	130-14
1-1/4"	3/4"	1/2"	2-1/8"	130-16

MORTISING FOR BOTTOM CLEANING

MORTAJAS CON RODAMIENTO

1/2" Shank • 2 Flute with Upper Ball Bearing Guide • Up-Shear





ØD	B	Ød	L	Tool No.
3/4"	7/16"	1/2"	2-1/2"	130-50

Replacement Bearing #47721, Collar #47740.

MORTISING FOR BOTTOM CLEANING

MORTAJAS CON RODAMIENTO

1/2" Shank • 2 Flute • Up-Shear Design





ØD	B	Ød	L	Tool No.
1-1/2"	5/8"	1/2"	2-3/4"	130-52

FLUSH TRIM PLUNGE

RECTA CON RODAMIENTO SUPERIOR

1/4" Shank • 2 Flute with Upper Ball Bearing Guide






ØD	B	Ød	L	Bearing	Tool No.
1/2"	1/4"	1/4"	1-3/4"	47701	120-08
1/2"	1"	1/4"	2-1/2"	47701	120-10
1/2"	1-1/4"	1/4"	2-3/4"	47701	120-12
5/8"	1"	1/4"	2-3/4"	47712	120-14
3/4"	1"	1/4"	2-1/2"	47714	120-16

Replacement Collar #47724.

FLUSH TRIM

RECORTE DE LAMINADOS CON RODAMIENTO

1/4" Shank • 2 and 3 Flute with Upper Ball Bearing Guide





ØD	B	Ød	L	Flute	Bearing	Tool No.
3/8"	1/2"	1/4"	2-1/8"	2	47702	190-14
3/8"	1"	1/4"	2-5/8"	2	47702	190-10
1/2"	1/2"	1/4"	2-1/4"	2	47706	190-22
1/2"	1"	1/4"	2-5/8"	2	47706	190-18
1/2"	1/2"	1/4"	2-1/4"	3	47706	190-28
1/2"	1"	1/4"	2-5/8"	3	47706	190-30

FLUSH TRIM PLUNGE

RECTA CON RODAMIENTO SUPERIOR

1/2" Shank • 2 Flute with Upper Ball Bearing Guide





ØD	B	Ød	L	Bearing	Collar	Tool No.
3/4"	1"	1/2"	3"	47721	47739	120-20
3/4"	1-3/4"	1/2"	3-3/4"	47721	47739	120-24
1"	1-3/4"	1/2"	3-3/4"	47754	47739	120-26
1-1/8"	1-1/2"	1/2"	3-1/2"	47738	47740	120-28

FLUSH TRIM

RECORTE DE LAMINADOS CON RODAMIENTO

1/2" Shank • 2 and 3 Flute with Upper Ball Bearing Guide





ØD	B	Ød	L	Flute	Bearing	Tool No.
1/2"	1/2"	1/2"	2-3/4"	2	47702	190-24
1/2"	1"	1/2"	3-1/4"	2	47702	190-26
1/2"	1-1/2"	1/2"	3-7/8"	2	47706	190-38
1/2"	2"	1/2"	4-1/4"	2	47706	190-42
3/4"	1"	1/2"	3-1/4"	2	47714	190-50
3/4"	1"	1/2"	3-1/16"	2	47714	190-51
1/2"	1"	1/2"	3"	3	47706	190-34
1/2"	1-1/2"	1/2"	3-7/8"	3	47706	190-46

Replacement Screw #500-10.

FLUSH TRIM V-GROOVE

RECORTE CON RANURA EN V

1/4" Shank • 2 Flute with Ball Bearing Guide





ØD	ØD1	B	Ød	L	Tool No.
5/8"	1/2"	1"	1/4"	2-1/2"	190-60
5/8"	1/2"	1"	1/2"	3"	190-62

Replacement Bearing #47706, Screw #500-10.

BEVEL TRIM

BISELDO

1/4" Shank • 2 Flute with Ball Bearing Guide





a°	ØD	B	Ød	L	Tool No.
7°	3/4"	7/16"	1/4"	2"	200-32
15°	5/8"	1/4"	1/4"	2"	200-10
23°	15/16"	7/16"	1/4"	2"	200-30
25°	23/32"	1/4"	1/4"	2"	200-14
45°	1"	1/4"	1/4"	2-1/16"	200-18

Replacement Bearing #47706, Screw #500-10, Key #5000.

FLUSH & BEVEL TRIM WITH PILOT

RECORTE CARBURO SOLIDO

Solid Carbide • 1/4" Shank • Single Flute





a°	ØD	B	Ød	L	Tool No.
Flush	1/4"	1/4"	1/4"	1-1/2"	195-10
7° Bevel	1/4"	1/4"	1/4"	1-1/2"	195-14

V-GROOVE

RANURADO EN V

1/4" and 1/2" Shank • 2 Flute





a°	ØD	B	Ød	L	Tool No.
90°	3/8"	7/16"	1/4"	1-5/8"	180-10
90°	1/2"	1/2"	1/4"	1-3/4"	180-14
60°	1/2"	5/8"	1/4"	1-3/4"	180-18
90°	3/4"	5/8"	1/2"	2-1/8"	180-20

V-GROOVE

RANURADO EN V CON RODAMIENTO

1/4" Shank • 2 Flute with Upper Ball Bearing Guide




a°	ØD	B	Ød	L	Tool No.
90°	1/2"	1/2"	1/4"	2"	180-70

Replacement Bearing #47701, Collar #47724.

SIGNMAKING & LETTERING

ROTULACION

1/4" Shank • 3 Flute




a°	ØD	B	Ød	L	Tool No.
60°	9/16"	7/16"	1/4"	2-1/4"	180-22

CORE BOX

MEDIA CAÑA

1/4" and 1/2" Shank • 2 Flute



1/4" Shank

R	ØD	B	Ød	L	Tool No.
1/16"	1/8"	3/8"	1/4"	1-3/4"	160-60
1/8"	1/4"	1/4"	1/4"	1-5/8"	160-10
3/16"	3/8"	1/4"	1/4"	1-1/2"	160-14
1/4"	1/2"	3/8"	1/4"	1-1/2"	160-18
5/16"	5/8"	7/16"	1/4"	1-11/16"	160-50
3/8"	3/4"	7/16"	1/4"	1-3/4"	160-22
1/2"	1"	5/8"	1/4"	1-7/8"	160-24

1/2" Shank

R	ØD	B	Ød	L	Tool No.
3/16"	3/8"	1/4"	1/2"	2"	160-62
1/4"	1/2"	3/8"	1/2"	2-1/8"	160-20
5/16"	5/8"	1/2"	1/2"	2"	160-64
3/8"	3/4"	7/16"	1/2"	2"	160-54
1/2"	1"	11/16"	1/2"	2-3/16"	160-58
5/8"	1-1/4"	3/4"	1/2"	2-5/16"	160-68♦


♦ Use in table mounted router only! Not to be used in a handheld router.



CORE BOX

MEDIA CAÑA CON RODAMIENTO

1/4" Shank • 2 Flute with Ball Bearing Guide




R	ØD	B	Ød	L	Tool No.
1/4"	1/2"	3/8"	1/4"	2"	160-70

Replacement Bearing #47701, Collar #47740.

CORE BOX EXTRA DEEP

MEDIA CAÑA CORTE PROFUNDO

1/2" Shank • 2 Flute




R	ØD	B	Ød	L	Tool No.
3/16"	3/8"	1"	1/2"	2-3/4"	160-80
1/4"	1/2"	1-1/4"	1/2"	2-3/4"	160-82
3/4"	1-1/2"	1-1/4"	1/2"	2-3/4"	160-84 ♦

♦ Use in table mounted router only! Not to be used in a handheld router.

BOWL & TRAY

VASIJAS/BANDEJAS/CAJAS

1/2" Shank • 2 Flute




R	ØD	B	Ød	L	Tool No.
1/4"	3/4"	5/8"	1/2"	2-5/8"	170-10
1/4"	1-1/8"	5/8"	1/2"	2-5/8"	170-12

ROUND OVER GROOVE

RADIO CONCAVO

1/2" Shank • 2 Flute




R	ØD	ØD1	B	B1	Ød	L	Tool No.
1/8"	3/8"	.125"	3/8"	1/4"	1/4"	1-3/4"	210-14
3/16"	5/8"	.250"	3/8"	1/8"	1/4"	1-3/4"	210-16
1/4"	3/4"	.250"	1/2"	3/8"	1/4"	1-7/8"	210-18
3/8"	1"	.250"	5/8"	15/32"	1/2"	2-1/8"	210-20
1/2"	1-3/8"	.363"	1"	3/4"	1/2"	2-1/2"	210-22 ♦
9/16"	1-5/8"	.500"	1-1/4"	1"	1/2"	2-3/4"	210-23 ♦

♦ Use in table mounted router only! Not to be used in a handheld router.

CLASSICAL GROOVE

PERFILAR

1/2" Shank • 2 Flute





R	R1	ØD	B	Ød	L	Tool No.
13/64"	1/4"	1"	11/16"	1/2"	3"	460-16

CLASSICAL PLUNGE

PERFILAR CON RODAMIENTO

1/4" Shank • 2 Flute with Ball Bearing Guide

Rout decorative grooves on solid wood or MDF panels and surfaces with a handheld router. Form edges with a hand router equipped with an edge guide, or on a router table. Shank-mounted bearing allows cuts to be guided by a template mounted atop the workpiece. Can be used with a template.





R	ØD	ØD1	B	Ød	L	Tool No.
9/64	7/8"	.319	3/8"	1/4"	2"	450-12

Replacement Bearing #47796, Lock Ring #47748.

PLUNGE BEADING

PERFILAR

1/4" Shank • 2 Flute





R	ØD	ØD1	B	Ød	L	Tool No.
3/32"	3/8"	3/16"	5/16"	1/4"	2"	450-04

OGEE GROOVE

PERFILAR

1/2" Shank • 2 Flute




R	ØD	ØD1	B	Ød	L	Tool No.
9/64"	3/4"	1/4"	1/2"	1/2"	2"	450-60

CLASSICAL PLUNGE

PERFILAR

1/4" Shank • 2 Flute







R	R1	ØD	B	Ød	L	Tool No.
3/32"	9/64"	1/2"	7/16"	1/4"	2"	450-08

CLASSICAL PLUNGE

PERFILAR CON RODAMIENTO

1/2" Shank • 2 Flute with Ball Bearing Guide



R	R1	R2	ØD	ØD1	B	Ød	L	Tool No.
13/64"	—	—	1-3/8"	.522"	9/16"	1/2"	2-5/8"	450-10
13/64"	—	—	1-3/8"	.522"	25/64"	1/2"	2-5/8"	450-14
—	1/4"	13/32"	1-3/8"	—	9/16"	1/2"	2-5/8"	450-18
—	1/4"	13/32"	1-3/8"	—	25/64"	1/2"	2-5/8"	450-16

Replacement Bearing #47734, Collar #47740.





PRO LINE

CARBIDE TIPPED
ROUTER BITS

CHAMFER

BISELAR

1/4" & 1/2" Shank • 2 Flute with Ball Bearing Guide





a°	ØD	B	C	Ød	L	Bearing	Tool No.
15°	7/8"	3/4"	25/32"	1/4"	2-1/4"	47706	280-08
45°	1-1/4"	1/2"	5/8"	1/4"	2"	47704	280-10
45°	1-1/4"	1/2"	5/8"	1/2"	2-3/8"	47704	280-14
22.5°	1-1/4"	7/8"	15/16"	1/2"	1-7/8"	47706	280-20
30°	1-3/8"	13/16"	7/8"	1/2"	2-3/4"	47706	280-42
45°	2"	3/4"	1-1/8"	1/2"	2-3/4"	47706	280-28
45°	2-1/2"	1"	1-3/8"	1/2"	3"	47706	280-32

Replacement Screw #500-10.

BEADING

MOLDURA

1/4" & 1/2" Shank • 2 Flute with Ball Bearing Guide





R	ØD	B	Ød	L	Tool No.
3/16"	7/8"	1/2"	1/4"	2"	340-10
1/4"	1"	1/2"	1/4"	2"	340-14
5/16"	1-1/8"	1/2"	1/4"	2-1/16"	340-16
3/8"	1-1/4"	5/8"	1/4"	2-3/16"	340-18
1/2"	1-1/2"	3/4"	1/4"	2-1/4"	340-22
3/8"	1-1/4"	5/8"	1/2"	2-9/16"	340-28
1/2"	1-1/2"	3/4"	1/2"	2-9/16"	340-30

Replacement Bearing #47702, #500-10.

CORNER ROUND

REDONDEAR

1/4" Shank • 2 Flute with Ball Bearing Guide





R	ØD	B	Ød	L	Tool No.
1/16"	5/8"	5/16"	1/4"	1-3/4"	320-06
1/8"	3/4"	3/8"	1/4"	2"	320-10
5/32"	13/16"	3/8"	1/4"	2"	320-48
3/16"	7/8"	1/2"	1/4"	2"	320-14
1/4"	1"	1/2"	1/4"	2"	320-18
5/16"	1-1/8"	1/2"	1/4"	2-1/16"	320-20
3/8"	1-1/4"	5/8"	1/4"	2-3/16"	320-26
1/2"	1-1/2"	3/4"	1/4"	2-1/4"	320-34

Replacement Bearing #47706, Screw #500-10.

CORNER ROUND

REDONDEAR

1/2" Shank • 2 Flute with Ball Bearing Guide



R	ØD	B	Ød	L	Tool No.
1/8"	3/4"	3/8"	1/2"	2-5/16"	320-46
3/16"	7/8"	1/2"	1/2"	2-7/16"	320-50
1/4"	1"	1/2"	1/2"	2-7/16"	320-22
5/16"	1-1/8"	1/2"	1/2"	2-7/16"	320-52
3/8"	1-1/4"	5/8"	1/2"	2-9/16"	320-30
1/2"	1-1/2"	3/4"	1/2"	2-5/8"	320-38
5/8"	1-3/4"	7/8"	1/2"	2-3/4"	320-54
3/4"	2"	1"	1/2"	2-7/8"	320-42
7/8"	2-1/4"	1-1/4"	1/2"	3-1/16"	320-56
1"	2-1/2"	1-1/4"	1/2"	3-3/16"	320-58♦
1-1/4"	3"	1-1/2"	1/2"	3-1/4"	320-60♦


Replacement Screw #500-10.

♦ Use in table mounted router only! Not to be used in a handheld router.

BULLNOSE RADIUS

SEMICIRCULAR

1/2" Shank • 2 Flute



'M'*	R	ØD	B	Ød	L	Tool No.
1/4"	9/64"	21/32"	3/4"	1/2"	2-1/4"	350-10
27/64"	13/64"	7/8"	3/4"	1/2"	2-1/4"	350-12
35/64"	17/64"	1-1/32"	1"	1/2"	2-1/2"	350-14
3/4"	3/8"	1-1/4"	1-5/16"	1/2"	2-3/4"	350-16 ¹⁸ !
1"	1/2"	1-11/16"	1-9/16"	1/2"	3-1/16"	350-18 ¹⁶ !


*'M' denotes thickness of material on which a full 180° roundover can be accomplished.

WARNING: Maximum RPM ¹⁶! = 16,000 ¹⁸! = 18,000

BULLNOSE RADIUS

SEMICIRCULAR

1/2" Shank • 2 Flute with Ball Bearing Guide



'M'*	R	ØD	B	Ød	L	Tool No.
3/4"	3/8"	1-3/8"	1-5/16"	1/2"	3-1/4"	350-20 ²⁰ !

Replacement Bearing #47706, Screw #500-10.


*'M' denotes thickness of material on which a full 180° roundover can be accomplished.

WARNING: Maximum RPM ²⁰! = 20,000

COVE

CONCAVA

1/4" & 1/2" Shank • 2 Flute with Ball Bearing Guide



R	ØD	B	Ød	L	Bearing	Tool No.
1/4"	7/8"	1/2"	1/4"	2"	47704	220-10
3/8"	1-1/8"	1/2"	1/4"	2"	47704	220-14
1/2"	1-3/8"	5/8"	1/4"	2-1/4"	47704	220-18
1/4"	7/8"	9/16"	1/2"	2-3/8"	47702	220-26
3/8"	1-1/8"	9/16"	1/2"	2-29/64"	47702	220-30
1/2"	1-3/8"	3/4"	1/2"	2-41/64"	47702	220-34
3/4"	2"	1"	1/2"	2-7/8"	47702	220-38


Replacement Screw #500-10.

CONVEX EDGING

PERFILAR

1/2" Shank • 2 Flute

Cuts a shallow radius ('thumbnail' shape) on board edges.




R	ØD	B	B1	Ød	L	Tool No.
23/32"	13/16"	1-1/4"	27/32"	1/2"	2-3/4"	350-40

CLASSICAL BEAD & COVE

MOLDURA

1/4" Shank • 2 Flute with Ball Bearing Guide



R	R1	ØD	B	Ød	L	Tool No.
13/64"	5/16"	1-1/4"	1/2"	1/4"	2"	360-10
15/64"	7/32"	1-1/2"	5/8"	1/4"	2-1/8"	360-14

Replacement Bearing #47706, Screw #500-10.




BEAD & COVE

MOLDURA

1/4" Shank • 2 Flute with Ball Bearing Guide

The reverse cove-and-bead bit, which has the cove coming off the bearing, produces the reverse of the classical cove and bead. Radii of both cove and bead are identical. Use in a handheld or table-mounted router.



R	ØD	B	Ød	L	Tool No.
1/4"	1-3/8"	7/8"	1/4"	2-1/4"	360-16


Replacement Bearing #47704.



CLASSICAL COVE & BEAD

MOLDURA

1/4" & 1/2" Shank • 2 Flute with Ball Bearing Guide



R	R1	ØD	B	Ød	L	Tool No.
5/32"	5/32"	1-1/8"	1/2"	1/4"	2"	400-12
1/4"	3/16"	1-3/8"	11/16"	1/4"	2-3/16"	400-14
3/16"	5/16"	1-1/2"	11/16"	1/2"	2-1/2"	400-10
1/4"	3/16"	1-3/8"	11/16"	1/2"	2-9/16"	400-18
3/8"	3/8"	2"	1"	1/2"	2-3/4"	400-20 ¹⁸ !

(A) Standard 1/2" bearing #47706 (included).

(B) Optional 3/8" bearing #47702 (order separately).


¹⁸! **WARNING:** Maximum RPM ¹⁸! = 18,000



OGEE

MOLDURA

1/4" & 1/2" Shank • 2 Flute with Ball Bearing Guide



R	R1	ØD	B	Ød	L	Tool No.
1/4"	3/16"	1-3/8"	11/16"	1/4"	2-3/16"	450-82 ¹⁸ !
5/32"	5/32"	1-1/8"	1/2"	1/2"	2-3/8"	450-84 ¹⁸ !
1/4"	3/16"	1-3/8"	11/16"	1/2"	2-9/16"	450-86 ¹⁸ !
13/64"	1/8"	1-3/4"	25/64"	1/2"	2-7/16"	450-88 ¹⁸ !

(A) Standard 1/2" bearing #47706 (included).

(B) Optional 3/8" bearing #47702 (order separately).


¹⁸! **WARNING:** Maximum RPM ¹⁸! = 18,000



ROMAN OGEE

MOLDURA

1/4" Shank • 2 Flute with Ball Bearing Guide



R	ØD	B	Ød	L	Tool No.
5/32"	1"	15/32"	1/4"	2-1/8"	240-10 ^{18!} ^{21!}
1/4"	1-3/8"	21/32"	1/4"	2-1/4"	240-18 ^{18!}

Replacement Bearing #47704, Screw #500-10.


WARNING: Maximum RPM ^{18!} = 18,000 ^{21!} = 21,000



WAVY EDGE

MOLDURA

1/4" Shank • 2 Flute with Ball Bearing Guide



R	ØD	B	Ød	L	Tool No.
5/32"	1-1/4"	9/16"	1/4"	2-1/4"	380-10 ^{18!}

Replacement Bearing #47706, Screw #500-10.


WARNING: Maximum RPM ^{18!} = 18,000



ROMAN OGEE

MOLDURA

1/2" Shank • 2 Flute with Ball Bearing Guide



R	ØD	B	Ød	L	Tool No.
5/32"	1"	15/32"	1/2"	2-1/2"	240-14 ^{18!} ^{21!}
1/4"	1-3/8"	7/8"	1/2"	2-5/8"	240-22 ^{18!}

Replacement Bearing #47704, Screw #500-10.


WARNING: Maximum RPM ^{18!} = 18,000 ^{21!} = 21,000



OGEE FILLET

MOLDURA

1/4" & 1/2" Shank • 2 Flute with Ball Bearing Guide



R	ØD	B	Ød	L	Tool No.
5/32"	1-3/8"	1/2"	1/4"	2-1/16"	450-70 ^{18!}
1/4"	1-5/8"	3/4"	1/2"	2-5/8"	450-72 ^{18!}
3/8"	2-1/4"	15/16"	1/2"	2-7/8"	450-74 ^{16!}

(A) Standard 1/2" bearing #47706 (included).

(B) Optional 3/8" bearing #47702 (order separately).

WARNING: Maximum RPM ^{16!} = 16,000 ^{18!} = 18,000




PRO LINE

CARBIDE TIPPED
ROUTER BITS

CORNER EDGE BEADING

MOLDURA

1/4" Shank • 2 Flute with Ball Bearing Guide



R	ØD	B	B1	Ød	L	Tool No.
1/8"	7/8"	1/2"	1/4"	1/4"	2-1/8"	370-10
3/16"	1-1/8"	11/16"	3/8"	1/4"	2-1/4"	370-14 ²¹ !

Replacement Bearing #47706, Screw #500-10


²¹! **WARNING:** Maximum RPM ²¹! = 21,000



CORNER EDGE BEADING

MOLDURA

1/2" Shank • 2 Flute with Ball Bearing Guide



R	ØD	B	B1	Ød	L	Tool No.
1/8"	7/8"	9/16"	1/4"	1/2"	2-1/2"	370-12
3/16"	1-1/8"	11/16"	3/8"	1/2"	2-5/8"	370-16 ²¹ !
1/4"	1-1/4"	3/4"	1/2"	1/2"	2-5/8"	370-18 ¹⁸ !

Replacement Bearing #47716


¹⁸! **WARNING:** Maximum RPM ¹⁸! = 18,000 ²¹! = 21,000



LEAF EDGE BEADING

MOLDURA

1/4" Shank • 2 Flute with Ball Bearing Guide



R	ØD	B	Ød	L	Tool No.
3/16"	1"	1/2"	1/4"	2-1/2"	390-30


Replacement Bearing 47712 (2), Collar #47724



TRIPLE BEAD

PERFILAR

1/2" Shank • 2 Flute with Ball Bearing Guide



R	ØD	B	Ød	L	Tool No.
1/8"	7/8"	1"	1/2"	3"	390-40


Replacement Bearing #47716



MATCHED BEAD

PERFILAR

1/2" Shank • 2 Flute with Ball Bearing Guide



R	ØD	B	Ød	L	Tool No.
3/16"	1-1/4"	1"	1/2"	2-7/8"	390-16 ¹⁸ !

Replacement Bearing #47706, Screw #500-10

¹⁸! **WARNING:** Maximum RPM ¹⁸! = 18,000




CROWN MOLDING

CORNISA

1/2" Shank • 2 Flute

Produce a mid-sized crown molding profile for architectural and furniture applications. This bit cuts the profile and bevel, as necessary, which is the show face of the workpiece. Bevel the top and bottom edges on the table saw to complete the molding. Use a 2+ horsepower router, mounted in a table, with a fence to guide the work. To get the best cut finish, make several passes to achieve full cut depth. Bevel back edges, cutting off 45° excess, with one of our chamfer bits.



R	R1	ØD	B	Ød	L	Tool No.
3/16"	7/16"	1-1/4"	2-1/4"	1/2"	3-3/4"	420-90 ^{16!}

Replacement Bearing #47706


^{16!} **WARNING:** Maximum RPM ^{16!} = 16,000

ARCHITECTURAL CROWN MOLDING

CORNISA

1/2" Shank • 2 Flute

This bit is designed for routing architectural and furniture moldings and trim. The profile is laid out vertically, reducing the diameter of the bit. This bit should be used in a 2+ horsepower, table-mounted router, and should be run at reduced speed. Although it has a ball-bearing guide, guiding the cuts with the fence is recommended.



R	R1	R2	R3	ØD	B	Ød	L	Tool No.
1/8"	3/32"	1/4"	7/16"	1-3/8"	1-5/8"	1/2"	3-1/2"	420-70 ^{18!}

Replacement Bearing #47706


^{18!} **WARNING:** Maximum RPM ^{18!} = 18,000

ARCHITECTURAL MOLDING

MOLDURA ARQUITECTONICA

1/2" Shank • 2 Flute with Ball Bearing Guide

This bit is designed for routing architectural and furniture moldings and trim. The profile is laid out vertically, reducing the diameter of the bit. This bit should be used in a 2+ horsepower, table-mounted router, and should be run at reduced speed. Although it has a ball-bearing guide, guiding the cuts with the fence is recommended.



R	R1	R2	ØD	B	Ød	L	Tool No.
1/8"	7/8"	3/8"	1"	1-11/16"	1/2"	3-1/4"	390-22 ^{18!}

Replacement Bearing #47706


^{18!} **WARNING:** Maximum RPM ^{18!} = 18,000

SPECIAL INTEREST MOLDING

MOLDURA

1/2" Shank • 2 Flute with Ball Bearing Guide

Designed for routing architectural and furniture moldings and trim, this bit should be used in a 2+ horsepower, table-mounted router, and should be run at reduced speed. Although it has a ball-bearing guide, guiding the cuts with a fence is recommended.



R	R1	R2	ØD	B	Ød	L	Tool No.
1/8"	3/8"	1/4"	1-5/8"	1-1/8"	1/2"	3"	420-62 ^{18!}

Replacement Bearing #47706

^{18!} **WARNING:** Maximum RPM ^{18!} = 18,000




PRO LINE CARBIDE TIPPED
ROUTER BITS

TABLE EDGE BITS

PERFILAR

1/2" Shank • 2 Flute with Ball Bearing Guide




R	R1	ØD	B	Ød	L	Tool No.
1-3/4"	—	2-3/4"	5/8"	1/2"	2-1/2"	420-80 ^{16!}
3/8"	—	2-1/2"	3/4"	1/2"	2-3/4"	420-82 ^{16!}
3/8"	1/4"	2-1/2"	3/4"	1/2"	2-3/4"	420-84 ^{16!}

(A) Standard 1/2" bearing #47706 (included).

(B) Optional 3/8" bearing #47702 (order separately).


^{16!} **WARNING:** Maximum RPM ^{16!} = 16,000



MULTI-FORM

MULTIPERFIL


1/2" Shank • 2 Flute with Ball Bearing Guide



R	ØD	B	Ød	L	Tool No.
15/64"	2-1/4"	1-7/8"	1/2"	4"	390-10 ^{12!}

Replacement Bearing #47706, Screw #500-10.

^{12!} **WARNING:** Maximum RPM ^{12!} = 12,000



Multi-Form Profiles (Not shown to scale.)








MULTI-RABBET SETS

JUEGOS REBAJADORES

1/4" & 1/2" Shank • 2 Flute with Ball Bearing Guide

The Multi-Rabbet bit steps in 1/16" increments from a 5/16" cut width to 1/2", simply by switching ball-bearing guides. Four different bearings are provided. Depth of cut capacity of 1/2". Use in any handheld or table-mounted router.



ØD	'A'	B	Ød	L	Tool No.
1-3/8"	7/16", 3/8", 5/16", 1/2"	1/2"	1/4"	2"	210-10 ^{18!}
1-3/8"	7/16", 3/8", 5/16", 1/2"	1/2"	1/2"	2-3/8"	210-12 ^{18!}

Replacement Parts:

'A'	Ø	Bearing
1/2" Rabbet	3/8"	47702
7/16" Rabbet	1/2"	47706
3/8" Rabbet	5/8"	47718
5/16" Rabbet	3/4"	47720


Replacement Screw #67094, Washer #67202.

WARNING: Maximum RPM ^{18!} = 18,000

RABBETING BITS

REBAJES/ENCAJES CON RODAMIENTO

1/4" & 1/2" Shank • 2 Flute with Ball Bearing Guide



ØD	'A'	B	Ød	L	Tool No.
1-1/4"	3/8"	5/16"	1/4"	2"	260-11 ^{18!}
1-1/4"	3/8"	1/2"	1/4"	2"	260-10 ^{18!}
1-1/4"	3/8"	1/2"	1/2"	2-3/8"	260-14 ^{18!}

Replacement Bearing #47706, Screw #500-10.


WARNING: Maximum RPM ^{18!} = 18,000

RABBET SET

JUEGO REBAJADOR CON RODAMIENTO

1/2" Shank • 2 Flute with Ball Bearing Guide

Perfect for any size cabinet shop. Micro-grain carbide tips and a 3/4" cutting length with an aggressive shear for chip-free cutting in today's "highly abrasive" materials. Cuts seven sizes ranging from flush to 1/2" rabbet.



ØD	'A' (Rabbet Depth)	B	Ød	L	Tool No.
1-3/8"	Multi-Depth Rabbet Set	3/4"	1/2"	2-15/16"	260-40 ^{18!}

Includes Rabbets: Flush, 1/8", 1/4", 5/16", 3/8", 7/16", 1/2"

Replacement Screw #500-10.

WARNING: Maximum RPM ^{18!} = 18,000





PRO LINE

CARBIDE TIPPED
ROUTER BITS

DOVETAIL

COLA MILANO

1/4" & 1/2" Shank • 2 Flute




a°	ØD	B	Ød	L	Tool No.
9°	3/8"	3/8"	1/4"	1-3/4"	150-08
14°	1/2"	1/2"	1/4"	1-3/4"	150-10
7°	7/8"	7/8"	1/2"	2-3/8"	150-20
14°	1/2"	1/2"	1/2"	2-3/8"	150-14

DOVETAIL

COLA MILANO CON RODAMIENTO

1/4" Shank • 2 Flute with Upper Ball Bearing Guide



a°	ØD	B	Ød	L	Tool No.
14°	1/2"	1/2"	1/4"	2-1/4"	150-70


Replacement Bearing #47701, Collar #47724.

SLOTING CUTTER ASSEMBLIES

CORTADORA DE RANURADO-3 ALAS

1/4" Shank • 3-Wing with Ball Bearing Guide

Includes cutter, arbor and ball bearing.



ØD	B	3-Wing Cutter Only	Ød	L	Assembly Tool No.
1-7/8"	1/16"	270-40	1/4"	2-1/8"	270-10
1-7/8"	5/64"	270-42	1/4"	2-1/8"	270-20
1-7/8"	3/32"	270-44	1/4"	2-1/8"	270-22
1-7/8"	1/8"	270-46	1/4"	2-1/8"	270-12
1-7/8"	5/32"	270-48	1/4"	2-1/8"	270-14
1-7/8"	3/16"	270-50	1/4"	2-1/8"	270-24
1-7/8"	1/4"	270-52	1/4"	2-1/8"	270-16


Replacement Bearing #47708, Arbor with Nuts and Washer 1/2" Dia. x 3-1/8" Long #270-60

Arbor with Nuts and Washer 1/2" Dia. x 2-5/8" Long #270-62

SLOTING CUTTER

RANURADO

1/2" Shank • 3-Wing



ØD	B	'A'	Ød	L	Tool No.
2-1/8"	3mm	11/16"	1/2"	2-13/64"	270-34 ^{16!}

^{16!} **WARNING:** Maximum RPM ^{16!} = 16,000



TONGUE & GROOVE ASSEMBLY

LENGUETA Y RANURA

1/2" Shank • 2 Flute with Ball Bearing Guide

One bit set includes: 2 cutters, 2 bearings and 1 arbor.

5/8"
Material/Materiales



'A'	ØD	B	Ød	L	Tool No.
3/8"	1-5/8"	3/4"	1/2"	3"	460-10 ^{18!}

Replacement Bearing #47708, Arbor with Nuts and Washer 1/2" Dia. x 3-1/8" Long #270-60

^{18!} **WARNING:** Maximum RPM ^{18!} = 18,000



TONGUE & GROOVE 2-PIECE SET

LENGUETA Y RANURA

1/2" Shank • 2 Flute with Ball Bearing Guide

1"

Material/Materiales



'A'	ØD	B	T	Ød	L	Tool No.
1/4" & 1/2"	1-3/4"	1-1/8"	1/4"	1/2"	2-3/4"	440-32

Replacement Bearing #47763 and #47759.


WARNING: Maximum RPM = 18,000

GLUE JOINT


ENSAMBLE

1/2" Shank • 2 Flute

Second piece is cut 'upside-down' to the first for a perfect fit. There is no need to realign the router depth, provided that the wood is centered to the cutting edge of the bit.



3/4" to 1"
Material/Materiales



ØD	B	Ød	L	Tool No.
1-7/8"	1-3/32"	1/2"	2-5/8"	470-10




WARNING: Maximum RPM = 18,000

45° LOCK MITER

ENSAMBLE

1/2" Shank • 2 Flute

First piece is cut flat (horizontal) and the second is cut perpendicular (vertical) to the first for a perfect fit. There is no need to re-align the router depth, provided that the wood is centered to the cutting edge of the bit. Not recommended for use in a pin router nor a router table unless the length of your material can be handled easily.



(Not shown to scale)




ØD	B	Ød	L	Tool No.
2-11/16"	1-3/16"	1/2"	2-5/8"	490-10

WARNING: Maximum RPM = 18,000

KEYHOLE

OJO DE CERRADURA

1/4" Shank • Single Flute



(Not shown to scale)

ØD	B	Ød	L	Tool No.
3/8"	3/8"	1/4"	1-1/2"	140-10
1/2"	3/8"	1/4"	1-1/2"	140-14


SHAKER STILE & RAIL 2-PIECE SET

2 PIEZAS MOLDURA Y RIEL

1/2" Shank • 2 Flute with Ball Bearing Guide

3/4" to 15/16"


Material/Materiales



a°	'A'	ØD	B	B1	B2	Ød	L	Tool No
22.25°	7/16	1-3/4"	15/16"	7/32"	45/64"	1/2"	3"	440-16

Replacement Bearing #47708.

WARNING: Maximum RPM = 18,000




OGEE STILE & RAIL 2-PIECE SET

2 PIEZAS MOLDURA Y RIEL

1/2" Shank • 2 Flute with Ball Bearing Guide

3/4" to 1"


Material/Materiales



'A'	ØD	B	Ød	R	L	Tool No.
7/16"	1-5/8"	1-1/16"	1/2"	9/32"	2-29/32"	440-18
7/16"	1-3/4"	57/64"	1/2"	9/32"	3"	440-19

Replacement Bearing #47708.

WARNING: Maximum RPM = 18,000




CONCAVE STILE & RAIL 2-PIECE SET

2 PIEZAS MOLDURA Y RIEL

1/2" Shank • 2 Flute with Ball Bearing Guide

3/4" to 1"


Material/Materiales



R	ØD	B	Ød	L	Tool No.
1/4"	1-5/8"	1-1/16"	1/2"	3-5/16"	440-14

Replacement Bearing #47708.

WARNING: Maximum RPM = 18,000





OGEE PROFILE FOR GLASS DOOR 2-PIECE SET

2 PIEZAS MOLDURA Y RIEL

1/2" Shank • 2 Flute with Ball Bearing Guide

3/4" to 27/32"

Material/Materiales



ØD	B	B1	Ød	L	Tool No.
1-5/8"	27/32"	7mm	1/2"	3"	440-34

Replacement Bearing #47721.

WARNING: Maximum RPM = 18,000



BEAD STILE & RAIL 2-PIECE SET

2 PIEZAS MOLDURA Y RIEL

1/2" Shank • 2 Flute with Ball Bearing Guide

3/4" to 7/8"

Material/Materiales



ØD	B	Ød	L	Tool No.
1-5/8"	1-1/16"	1/2"	2-29/32"	440-22

Replacement Bearing #47708.

WARNING: Maximum RPM = 18,000



CONCAVE STILE & RAIL 2-PIECE SET

2 PIEZAS MOLDURA Y RIEL

1/4" Shank • 2 Flute with Ball Bearing Guide

3/4" to 1"

Material/Materiales



ØD	B	Ød	L	Tool No.
1-3/8"	1"	1/4"	3"	440-28

Replacement Bearing #47712, Screw #500-10.

WARNING: Maximum RPM = 18,000



PRO LINE

CARBIDE TIPPED
ROUTER BITS


CLASSICAL STILE & RAIL 2-PIECE SET

2 PIEZAS MOLDURA Y RIEL

1/4" Shank • 2 Flute with Ball Bearing Guide

3/4" to 1"


Material/Materiales



ØD	B	Ød	L	Tool No.
1-3/8"	1"	1/4"	3"	440-26

Replacement Bearing #47712, Screw #500-10.

WARNING: Maximum RPM = 18,000




OGEE STILE & RAIL 2-PIECE SET

2 PIEZAS MOLDURA Y RIEL

1/4" Shank • 2 Flute with Ball Bearing Guide

3/4" to 1"


Material/Materiales



ØD	B	Ød	L	Tool No.
1-3/8"	1"	1/4"	3"	440-24

Replacement Bearing #47712, Screw #500-10.

WARNING: Maximum RPM = 18,000




REVERSIBLE TRADITIONAL STILE & RAIL

REVERSIBLE MOLDURA Y RIEL

1/2" Shank • 2-Wing with Ball Bearing Guide

15/16"

Material/Materiales



Switch from the stile cut to the rail cut simply by rearranging the cutters and bearing on the arbor. Because the profile and the cope are cut with the same cutter, you get a perfect fit. Use in a table-mounted router. Includes shims. Comes with complete instructions.


'A'	ØD	B	B1	Ød	L	Tool No.
3/8"	1-5/8"	11/16"	7/8"	1/2"	3"	460-18

Note: Stile & Rail assemblies can be used on 5/8" through 7/8" material.

Tongue & Groove can be used on 1/2" through 3/4" material.

Replacement Bearing #47708.

WARNING: Maximum RPM = 18,000



Cut both stiles and rails with this single economical assembly.


REVERSIBLE OGEE STILE & RAIL

REVERSIBLE MOLDURA Y RIEL

1/2" Shank • 2 Flute with Ball Bearing Guide

3/4" to 7/8"


Material/Materiales



ØD	B	Ød	L	Tool No.
1-5/8"	7/8"	1/2"	3"	440-10

Replacement Bearing #47708.

WARNING: Maximum RPM = 18,000



OGEE WINDOW SASH & RAIL


MARCOS DE VENTANAS

1/2" Shank • 2-Wing with Ball Bearing Guide


3/4" to 1-3/4"

Material/Materiales

Designed to cut window sash and glass door parts, including rails, stiles, mullions, and muntins. Assembly includes an ogee profile cutter, a rabbet cutter, one bearing, a 1/2" shank arbor, spacers, shims, and washers. Configure as shown in the drawing to cut profile and rabbet on all parts. Switch bearing and profile cutter and replace rabbet cutter with spacers to rout the copes. Use in a table-mounted router.



#420-60




#420-61



(Not shown to scale.)

'A'	R	ØD	B	B1	B2	B3	Ød	L	Tool No.
1/4"	1/8"	1-3/8"	1-13/16"	5/16"	5/8"	7/8"	1/2"	3-3/4"	420-60
—	1/8"	1-3/8"	43/64"	5/16"	—	—	1/2"	2-3/4"	420-61

WARNING: Maximum RPM = 18,000




RAISED PANEL - OGEE

PANEL DE PUERTA

1/2" Shank • 2 Flute with Ball Bearing Guide


Build quality ogee raised panels for your cabinet doors.



'A'	R	ØD	B	B1	Ød	L	Tool No.
1-1/16"	3/4"	2-5/8"	5/8"	5/16"	1/2"	2-1/2"	420-10
1-1/2"	7/8"	3-3/8"	1/2"	5/16"	1/2"	2-7/16"	420-22

Replacement Bearing #47712, Screw #500-10.

WARNING: Maximum RPM = 12,000 = 16,000




CARBIDE TIPPED
ROUTER BITS

TRADITIONAL RAISED PANEL

PANEL DE PUERTA

1/2" Shank • 2 Flute with Ball Bearing Guide

Create raised panels for cabinet doors, frame-and-panel furniture, and architectural paneling.



a°	'A'	ØD	B	B1	Ød	L	Tool No.
15°	1-7/16"	3-3/8"	1/2"	5/16"	1/2"	2-15/32"	420-30

Replacement Bearing #47706, Screw #500-10.


WARNING: Maximum RPM = 12,000

COVE RAISED PANEL

PANEL DE PUERTA

1/2" Shank • 2 Flute with Ball Bearing Guide

Create raised panels for cabinet doors, frame-and-panel furniture, and architectural paneling with a raised-panel bit. The cutter forms a fillet to delineate the raised field, a shaped band around the field, and an integral tongue to fit the panel groove in the frame members. The profile contour and the reveal width varies. Must be used in a table-mounted 3+ horsepower router and run at reduced speed. Use this bit for panels with curved edges. Multiple passes recommended.



'A'	R	ØD	B	Ød	L	Tool No.
1-7/16"	1-9/16"	3-3/8"	1/2"	1/2"	2-3/8"	460-12
1-1/2"	1-37/64"	3-1/2"	21/32"	1/2"	2-9/16"	460-13


Replacement Bearing #47706.

WARNING: Maximum RPM = 12,000

OGEE RAISED PANEL W/BACK CUTTER

PANEL DE PUERTA CON CORTADORA

1/2" Shank • 2 Flute with Ball Bearing Guide



'A'	'A1'	R	R1	ØD	ØD1	B	B1	Ød	L	Tool No.
1-3/8"	1-1/16"	7/8"	5/16"	3-3/8"	2-1/8"	1-3/16"	5/8"	1/2"	3-1/8"	420-50

Replacement Bearing #47713 (8mm x 16mm) for 'A' reveal.


Replacement Bearing #47763 (8mm x 1-1/4") included for 'A1' reveal.

WARNING: Maximum RPM = 12,000

COVE RAISED PANEL W/BACK CUTTER

PANEL DE PUERTA CON CORTADORA

1/2" Shank • 2 Flute with Ball Bearing Guide



'A'	'A1'	R	ØD	B	Ød	L	Tool No.
1-1/8"	1-29/64"	1-37/64"	3-1/2"	1-1/4"	1/2"	3-1/16"	420-52

Replacement Bearing #47708 (7/8" x 5/16") for 'A' reveal.

Replacement Bearing #47763 (8mm x 1-1/4") included for 'A1' reveal.

WARNING: Maximum RPM = 12,000

TRADITIONAL RAISED PANEL W/BACK CUTTER

PANEL DE PUERTA CON CORTADORA

1/2" Shank • 2 Flute with Ball Bearing Guide





TABLE DRAW EDGE BIT

PERFILAR

1/2" shank • 2 Flute with Ball Bearing Guide



a°	'A'	ØD	B	Ød	L	Tool No.
15°	1-7/16"	3-1/2"	1-1/8"	1/2"	3"	420-54

WARNING: Maximum RPM = 12,000


'A'	R	R1	ØD	B	Ød	L	Tool No.
1-3/16"	1-9/16"	1/4"	2-7/8"	5/8"	1/2"	2-5/8"	450-76

WARNING: Maximum RPM = 16,000

FINGER GRIP

AGARRE DE PUERTA


1/2" Shank • 2 Flute



DOOR LIP

AGARRE DE PUERTA

1/2" Shank • 2 Flute



R	R1	ØD	ØD1	B	Ød	L	Tool No.
1/4"	3/16"	2"	3/4"	1-1/4"	1/2"	2-3/4"	480-20

WARNING: Maximum RPM = 18,000

Corner round and taper rabbet.

R	ØD	B	Ød	L	Tool No.
3/8"	2"	1-3/16"	1/2"	2-3/4"	480-10

WARNING: Maximum RPM = 18,000



PRO LINE

CARBIDE TIPPED
ROUTER BITS



Router Bit Sets

Carbide Tipped

- Cabinet Door Making
- Entry Door Making
- Moldings & More




PRO LINE

3-PIECE OGEE RAISED PANEL SET

3-PIEZAS JUEGO DE BROCAS/FRESAS

Set was designed for raised panels on cabinet doors, frame and panel furniture and architectural paneling. Use only in a table-mounted router; the panel-raiser must be run at reduced RPM's.


3/4" to 1"
Material/Materiales


Set #TRS-260

1/2" Shank Set Includes

1-5/8" Dia. 2-piece Ogee Stile & Rail bit set

3-3/8" Dia. Ogee Raised Panel bit

Tool No.
440-18
420-22

For detailed tool specifications, see router bit section of catalog.


WARNING: Maximum RPM = 12,000 = 18,000



3-PIECE OGEE RAISED PANEL SET WITH BACK CUTTER

3-PIEZAS JUEGO DE BROCAS/FRESAS

This easy-to-use set combines the two piece stile-and-rail cutter set with a large-diameter horizontal panel-raising bit with back cutter that produces a 1-7/16" reveal. Both joinery-cutters and the panel-raiser feature the cove profile. Use only in a table-mounted router; the panel-raiser must be run at reduced RPM's.


3/4" to 1"
Material/Materiales


Set #TRS-250

1/2" Shank Set Includes

1-5/8" Dia. 2-piece Ogee Stile & Rail bit set


3-3/8" Dia. Ogee Raised Panel bit with back cutter

440-18
420-50*

*Includes extra ball bearing #47713.

For detailed tool specifications, see router bit section of catalog.

WARNING: Maximum RPM = 12,000 = 18,000



(Not shown to scale)

12-PIECE ALL PURPOSE SET

12-PIEZAS JUEGO DE BROCAS/FRESAS




Set #TRS-120

1/4" Shank Set Includes

	Tool No.
1/4" Dia. Plunge, 3/4" cutting length	100-16
3/8" Dia. Plunge, 1" cutting length	100-34
1/2" Dia. Plunge, 1" cutting length	100-42
1/2" Dia. Flush Trim, 1/2" cutting length	190-22
1/2" Dia. Core Box, 3/8" cutting length	160-18
1/4" Radius, 90° 'V' Groove, 7/16" cutting length	180-10
1/2" Dia. 14° Dovetail, 1/2" cutting length	150-10
1/4" Radius Corner Round, 1/2" cutting length	320-18
1-1/8" Dia. Cove, 1/2" cutting length	220-14
1/4" Radius Beading, 1/2" cutting length	340-14
5/32" Radius Roman Ogee, 15/32" cutting length	240-10
3/8" Depth of cut Rabbeting	260-10

For detailed tool specifications, see router bit section of catalog.

TRS-120 set includes:



6-PIECE ALL PURPOSE SET

6-PIEZAS JUEGO DE BROCAS/FRESAS




Set #TRS-240

1/4" Shank Set Includes

	Tool No.
1/2" Dia. Straight, 1" cutting length	100-42
1/4" Radius Corner Round	320-18
1/2" Dia. Flush Trim, 1/2" cutting length	190-22
1/4" Radius Cove	220-10
90° 'V' Groove, 1/2" cutting length	180-14
5/32" Radius Roman Ogee	240-10

For detailed tool specifications, see router bit section of catalog.

TRS-240 set includes:




3-PIECE ENTRY & PASSAGE DOOR MAKING SET

3-PIEZAS JUEGO DE BROCAS/FRESAS



This extended tenon door bit set is an effective way to produce stile & rail architectural doors with authentic mortise-and tenon joinery. The bits can be adjusted by simply removing or adding the extra cutter. Shims are provided so that you can fine tune the fit if necessary.

1-3/8" to 1-5/8"


Material/Materiales



Includes **full-color** instructions



440-20



240-30

Set #TRS-290

1/2" Shank Set Includes

3-Piece set to create 1-3/8" to 1-5/8" thick doors

Tool No.

TRS-290

WARNING: Maximum RPM = 16,000




3-PIECE OFFSET TONGUE & GROOVE FOR FACE FRAMES SET

3-PIEZAS JUEGO DE BROCAS/FRESAS


This set enables you to construct your own beautiful mission style and shaker cabinet doors.

1" to 1-1/8"

Material/Materiales



190-24



440-32



Set #TRS-130

1/2" Shank Set Includes

1/2" Dia. Flush Trim bit with 1/2" cutting length

1-3/4" Dia. Tongue & Groove bit set

Tool No.

190-24

440-32*

*Includes two (2) extra bearings #47708

For detailed tool specifications, see router bit section of catalog.

WARNING: Maximum RPM = 18,000




3-PIECE COVE RAISED PANEL DOOR MAKING SET

3-PIEZAS JUEGO DE BROCAS/FRESAS

This easy-to-use set combines the two piece stile-and-rail cutter set with a large-diameter horizontal panel-raising bit that produces a 1-7/16" reveal. Both joinery-cutters and the panel-raiser feature the cove profile. Use only in a table-mounted router; the panel-raiser must be run at reduced RPM's.



460-13



440-19



Set #TRS-280

1/2" Shank Set Includes

1-3/4" Dia. 2-piece Ogee Stile & Rail bit set

3-1/2" Dia. Cove Raised Panel bit

Tool No.

440-19 Δ_{18}

460-13 Δ_{12}

For detailed tool specifications, see router bit section of catalog.

Δ_{12} **WARNING:** Maximum RPM Δ_{12} = 12,000 Δ_{18} = 18,000




3-PIECE COVE RAISED PANEL SET WITH BACK CUTTER

3-PIEZAS JUEGO DE BROCAS/FRESAS


This easy-to-use set combines the two piece stile-and-rail cutter set with a large-diameter horizontal panel-raising bit with back cutter that produces a 1-7/16" reveal. Both joinery-cutters and the panel-raiser feature the cove profile. Use only in a table-mounted router; the panel-raiser must be run at reduced RPM's.



420-52



440-19



(Not shown to scale)



Set #TRS-270

1/2" Shank Set Includes

1-3/4" Dia. 2-piece Ogee Stile & Rail bit set

3-1/2" Dia. Cove Raised Panel bit with back cutter

Tool No.

440-19 Δ_{18}

420-52 Δ_{12}

For detailed tool specifications, see router bit section of catalog.

Δ_{12} **WARNING:** Maximum RPM Δ_{12} = 12,000 Δ_{18} = 18,000



3-PIECE GLASS DOOR PANEL MAKING SET

3-PIEZAS JUEGO DE BROCCAS/FRESAS

For the construction of straight and arched glass panel doors as well as divided light doors with muttons and mullions.

3/4" to 27/32"


Material/Materiales



(Not shown to scale)



270-34



440-34



Set #TRS-210

1/2" Shank Set Includes

1-5/8" Dia. 2-piece Ogee Stil & Rail bit set

2-1/8" Dia. Slot Glass Cutter bit

For detailed tool specifications, see router bit section of catalog.

⚠ WARNING: Maximum RPM ⚠ = 16,000 ⚠ = 18,000

Tool No.

440-34 ⚠

270-34 ⚠




3-PIECE SHAKER RAISED PANEL DOOR MAKING SET WITH BACK CUTTER

3-PIEZAS JUEGO DE BROCCAS/FRESAS


Designed for the simple shaker look for your mission-style doors, cabinets or furniture.

3/4" to 15/16"


Material/Materiales



420-54



440-16



(Not shown to scale)



Set #TRS-230

1/2" Shank Set Includes

1-3/4" Dia. 2-piece Shaker pattern/cope cutter bit set

3-1/2" Dia. Shaker Raised Panel with back cutter bit

For detailed tool specifications, see router bit section of catalog.

⚠ WARNING: Maximum RPM ⚠ = 12,000 ⚠ = 18,000

Tool No.

440-16 ⚠

420-54 ⚠



11-PIECE STARTER SET

11-PIEZAS JUEGO DE BROCAS/FRESAS




Set #TRS-170

1/2" Shank Set Includes	Tool No.
3/16" Dia. Straight Plunge, 1/4" cutting length	100-14
1/2" Dia. Straight Plunge, 1-1/4" cutting length	110-22
1/2" Dia. 14° Dovetail, 1/2" cutting length	150-14
1/2" Dia. Flush Trim, 1" cutting length	190-26
3/8" Radius Cove	220-30
5/32" Radius Roman Ogee	240-14
3/8" Depth Rabbet, 1/2" cutting length	260-14
45° Chamfer	280-14
3/8" Radius Corner Round	320-30
3/16" x 3/8" Bearing (Changes #320-30 to Bead)	47702
Allen key	5000

For detailed tool specifications, see router bit section of catalog.

TRS-170 set includes:



8-PIECE PROFILE SET

8-PIEZAS JUEGO DE BROCAS/FRESAS




Set #TRS-180

1/2" Shank Set Includes	Tool No.
3/8" Radius Cove	220-30
1/2" Radius Cove	220-34
1/4" Radius Roman Ogee	240-22
3/8" Depth of cut Rabbeting	260-14
45° Chamfer	280-14
1/4" Radius Corner Round	320-22
3/8" Radius Corner Round	320-30
1/2" Radius Corner Round	320-38

For detailed tool specifications, see router bit section of catalog.



TRS-180 set includes:



5-PIECE MOULDING SET

5-PIEZAS JUEGO DE BROCAS/FRESAS PARA MOLDURAS

Set includes all the most commonly used router bits used in the industry.



#390-10 Multi-Form (Not shown to scale)

3/4" to 1"

Material/Materiales



Set #TRS-200

1/2" Shank Set Includes

	Tool No.	
1-7/8" Dia. glue joint, 1-1/2" cutting length	470-10	18!
2-1/4" Dia. multi-form, 1-7/8" cutting length	390-10	12!
2-5/8" Dia. raised panel, 5/8" cutting length	420-10	16!
1-5/8" Dia. concave stile & rail set, 1-1/16" cutting length	440-14	18!

For detailed tool specifications, see router bit section of catalog.


WARNING: Maximum RPM $\triangle 12!$ = 12,000 $\triangle 16!$ = 16,000 $\triangle 18!$ = 18,000



5-PIECE DOOR MAKING SET

5-PIEZAS JUEGO DE BROCAS/FRESAS

Set includes all the most commonly used router bits used in the industry.



3/4" to 1"

Material/Materiales



Set #TRS-100

1/2" Shank Set Includes

	Tool No.	
1-7/8" Dia. Glue Joint bit with 1-1/2" cutting length	470-10	18!
2" Dia. Door Lip bit with 1-3/16" cutting length	480-10	18!
2-5/8" Dia. Raised Panel bit with 5/8" cutting length	420-10	16!
1-5/8" Dia. Concave Stile & Rail bit set	440-14	16!

For detailed tool specifications, see router bit section of catalog.

WARNING: Maximum RPM $\triangle 16!$ = 16,000 $\triangle 18!$ = 18,000




5-PIECE CABINET DOOR MAKING SET

5-PIEZAS JUEGO DE BROCAS/FRESAS

This set includes the most commonly used router bits in the industry.


3/4" to 1"
Material/Materiales




320-42




420-10



450-10



440-18



Set #TRS-150

1/2" Shank Set Includes

Tool No.

1-5/8" Dia. 2-piece Ogee Stile & Rail bit set **440-18**

1-3/8" Dia. Classical Plunge bit with 9/16" cutting length **450-10**

3/4" Radius Corner Round bit **320-42**

2-5/8" Dia. Ogee Raised Panel bit with 5/8" cutting length **420-10**

For detailed tool specifications, see router bit section of catalog.

WARNING: Maximum RPM = 16,000 = 18,000




6-PIECE CABINET DOOR MAKING SET


6-PIEZAS JUEGO DE BROCAS/FRESAS

This set enables you to construct your own beautiful arched raised panel doors with six of the most popular router bits.

3/4" to 7/8"
Material/Materiales



450-88




190-51



420-52



450-76



440-19



Set #TRS-140

1/2" Shank Set Includes

Tool No.

1-3/4" Dia. 2-piece Ogee Stile & Rail bit set **440-19**

1-3/4" Dia. Ogee bit **450-88**

2-7/8" Dia. Draw Edge bit **450-76**

3/4" Dia. Flush Trim bit with 1" cutting length **190-51**

3-1/2" Dia. Cove Raised Panel with back cutter bit **420-52**

For detailed tool specifications, see router bit section of catalog.

WARNING: Maximum RPM = 12,000 = 16,000 = 18,000



MULTI 3-WING SLOT CUTTER SET

JUEGO DE CORTADORAS MULTI-USO-3 ALAS

For producing slots from 1/8" to 1-1/8" thick.



Set #TRS-310

1/2" Shank Set Includes

	Tool No.
(1) 1/8" Kerf	270-46
(1) 5/32" Kerf	270-48
(1) 3/16" Kerf	270-50
(3) 1/4" Kerf	270-52
(2) 1/2" Dia. arbors with nuts and washers	270-60, 270-62
(1) 7/8" Dia. bearing for 1/2" cutting depth	47708
(1) 1" Dia. bearing for 7/16" cutting depth	47770
(1) 1-1/8" Dia. bearing for 3/8" cutting depth	47771
(1) 1-3/8" Dia. bearing for 1/4" cutting depth	47772

For detailed tool specifications, see router bit section of catalog.

24-PC. 1/4" SHANK ROUTER BIT SET

24-PIEZAS JUEGO DE BROCAS/FRESAS




Set #680-240

1/4" Shank Set Includes

Straight Plunge Bit - 1/4" Dia.	V Groove Bit - 90°, 1/2" Dia.
Straight Plunge Bit - 3/8" Dia.	Core Box Bit - 1/2" Dia., 1/4" R
Straight Plunge Bit - 1/2" Dia.	Core Box Bit - 1/2" Dia., 1/4" R
Straight Plunge Bit - 3/8" Dia.	Corner Round/Beading Bit - 1/2" R
Mortising Bit - 1/2" Dia.	Corner Round/Beading Bit - 3/8" R
Dovetail Bit - 9°, 3/8" Dia.	Corner Round/Beading Bit - 1/4" R
Dovetail Bit - 14°, 1/2" Dia.	Corner Round/Beading Bit - 3/16" R
Flush Trim Bit - 3/8" Dia.	Rabbet Bit - 7/16" Dia.
Flush Trim Bit - 3/8" Dia.	Rabbet Bit - 3/8" Dia.
Flush Trim Bit - 1/2" Dia.	Chamfer Bit - 45°, 1-1/4" Dia.
Cove Bit - 7/8" Dia., 1/4" R	Roman Ogee Bit - 1/4" R
Cove Bit - 1-1/8" Dia., 3/8" R	Roman Ogee Bit - 5/32" R

STEEL ROUTER COLLET REDUCERS


REDUCTOR DE COLLET PARA ROUTER



ØD	Ød	L	Tool No.
1/4"	1/8"	1"	RB-102
1/4"	3/16"	1"	RB-103
1/2"	1/8"	1"	RB-115
1/2"	1/4"	1"	RB-116
1/2"	8mm	1"	RB-118
1/2"	3/8"	6mm	RB-122
1/2"	10mm	1"	RB-120

STEEL BALL BEARING GUIDES

RODAMIENTOS



Ød	ØD	B	Tool No.
1/8"	1/4"	.110 (7/64")	47723
1/8"	3/8"	.155 (5/32")	47704
1/8"	1/2"	.171 (11/64")	47700
3/16"	5/16"	.124 (1/8")	47789
3/16"	3/8"	.124 (1/8")	47702
3/16"	1/2"	.195 (3/16")	47706
3/16"	1/2"	.195 (3/16")	47706-HP*
3/16"	.490"	.195 (3/16")	47715
3/16"	5/8"	.195 (3/16")	47718
3/16"	3/4"	.280 (9/32")	47720
3/16"	7/8"	.196 (3/16")	47719
3/16"	1"	.196 (3/16")	47773
3/16"	1-1/8"	.312 (5/16")	47743
1/4"	3/8"	.124 (1/8")	47751
1/4"	1/2"	.186 (3/16")	47701
1/4"	1/2"	.186 (3/16")	47701-HP*
5mm	16mm	5mm (3/16")	47716
1/4"	9/16"	.236 (15/64")	47753
1/4"	5/8"	.195 (3/16")	47712
1/4"	5/8"	.195 (3/16")	47712-HP*
1/4"	3/4"	.280 (9/32")	47714
1/4"	.865 (7/8")	.280 (9/32")	47796
1/4"	1"	.344 (11/32")	47710
5/16"	3/4"	.280 (9/32")	47759
5/16"	.865 (7/8")	.275 (9/32")	47708
5/16"	1"	1/4"	47770
5/16"	1-1/8"	1/4"	47771
5/16"	1-1/4"	.250 (1/4")	47763
5/16"	1-3/8"	1/4"	47772
5/16"	1-5/16"	21/64"	47762
8mm	16mm	5mm	47713
3/8"	7/8"	7mm	47741
1/2"	3/4"	.156 (5/32")	47721
1/2"	1-1/8"	.312 (5/16")	47738
15mm	35mm	11mm (7/16")	47734
15mm	1"	.218 (7/32")	47754

* With Teflon® shield for fine dust conditions.

PRO LINE

Saw Blades Carbide Tipped

for professional workshops, contractors & hobbyists



Superior strength steel plate




**Micro-grain carbide tips
stay sharper, longer**



**Semi-mirror finish by Multi-Axis
Grinding Machines for extra-long life**




Tri-Foil brazing: silver-copper-silver




GENERAL PURPOSE WOOD CUTTING TRIM

USO GENERAL — MADERA


Contractor saw blades excellent for cutting hardwood, softwood and veneered plywood. Featuring an ultra thin kerf design requiring less horsepower and reduced stock loss. Tensioned and heat treated plate for virtually no run-out and premium carbide tips that can be re-sharpened many times. Designed for small portable electric and battery powered cordless saws. Skin-packed and carded for display.




ATB Grind



Thin Kerf



Micrograin Carbide Tips




For use in Portable Saws 4-3/8" to 4-1/2"



Also fits the following saws:

Jepson® 8211, Panasonic® EY3502FQMKW-12 Volt, Makita™ 4100RH, 4200NH and Porter-Cable™ 314.



Framing



Wood Decking



Shelving


ØD	Teeth	Grind	Kerf		Plate		Hook Angle	Bore	Packaged	Tool No.
Inch mm			Inch	mm	Inch	mm				
4-3/8" to 4-1/2"	30	ATB	.071	1.8	.047	1.2	20°	20mm*	Carded	120-300

* Comes with adapter (bushing) for 3/8" arbor.


GENERAL PURPOSE WOOD CUTTING TRIM

USO GENERAL — MADERA


Contractor saw blades excellent for cutting hardwood, softwood and veneered plywood. Featuring an ultra thin kerf design requiring less horsepower and reduced stock loss. Tensioned and heat treated plate for virtually no run-out and premium carbide tips that can be re-sharpened many times. Designed for small portable electric and battery powered cordless saws. Skin-packed and carded for display.




ATB Grind



Thin Kerf



Micrograin Carbide Tips



For use in Portable Saws 5-3/8" to 5-1/2"



Also fits the following saws:

Black & Decker® CS144-14.4 Volt, Grizzly® G8598-18 Volt, DeWalt® DW930K-12 Volt, DW935K/14.4 Volt, DW936K-18 Volt Makita® 5005BA, Panasonic® EY3503FQWKW-12 Volt, EY3531FQWKW-15.6 Volt and Skil® HD5510.



Framing



Wood Decking



Shelving


ØD	Teeth	Grind	Kerf		Plate		Hook Angle	Bore	Packaged	Tool No.
Inch mm			Inch	mm	Inch	mm				
5-3/8" to 5-1/2"	30	ATB	.071	1.8	.053	1.35	15°	5/8"*	Carded	135-300

* Comes with adapter (bushing) for 1/2" and 10mm arbors.


GENERAL PURPOSE CUTTING TRIM

USO GENERAL — MADERA


Contractor saw blades excellent for cutting hardwood and softwood. Featuring an ultra thin kerf design requiring less horsepower and reduced stock loss. Tensioned and heat treated plate for virtually no run-out and premium carbide tips that can be re-sharpened many times. Designed for small portable electric and battery powered cordless saws. Skin-packed and carded for display.



ATB Grind



Thin Kerf



Micrograin Carbide Tips



For use in Portable Handheld Saws

Also fits the following saws:

Porter-Cable®, Saw Boss® Trim Saw Model #345 and Model #9845 19.2 Volt.



Framing




Floor Beams

ØD	Teeth	Grind	Kerf		Plate		Hook Angle	Bore	Packaged	Tool No.
			Inch	mm	Inch	mm				
6"	20	ATB	.067	1.7	.051	1.3	20°	1/2"	Carded	150-200
6"	40	ATB	.067	1.7	.051	1.3	20°	1/2"	Carded	150-400


GENERAL PURPOSE WOOD CUTTING TRIM

USO GENERAL — MADERA


Contractor saw blades excellent for cutting hardwood and softwood. Featuring an ultra thin kerf design requiring less horsepower and reduced stock loss. Tensioned and heat treated plate for virtually no run-out and premium carbide tips that can be re-sharpened many times. Designed for small portable electric and battery powered cordless saws. Skin-packed and carded for display.



ATB Grind



Thin Kerf



Micrograin Carbide Tips



For use in Portable Handheld Saws

Also fits the following saws:


DeWalt® DW007K-24 Volt, DW939-18 Volt, Hitachi® C6DC-18 Volt, Makita® 5630DWA-14.4 Volt, 5620DWA-18 Volt, Makita® 5621DWD-18 Volt, 5026DWD-18 Volt, Skil® HD 5825, Talon® TJ759000-18 Volt.



Framing



Wood Decking



Shelving


ØD	Teeth	Grind	Kerf		Plate		Hook Angle	Bore	Packaged	Tool No.
			Inch	mm	Inch	mm				
6-1/2"	24	ATB	.095	2.4	.063	1.6	20°	5/8" ♦	Carded	165-240
6-1/2"	40	ATB	.095	2.4	.063	1.6	20°	5/8" ♦	Carded	165-400

♦ Denotes 5/8" arbor with diamond knockout.


PROFESSIONAL SPECIALTY ALL PURPOSE

USO GENERAL — MADERA, TRIPLAY Y MATERIALES COMPUESTOS


A durable series of blades designed for contractors and Do-It-Yourselfers. These are very popular all-purpose blades used for ripping and crosscutting wood framing, decking and plywood.



ATB Grind



Thin Kerf



Micrograin Carbide Tips




For use in Portable Handheld Saws



Also fits the following portable 7-1/4" Electric & Worm Drive circular saws:

Black&Decker®, Bosch®, DeWalt®, Hitachi®, Japson®, Makita®, Milwaukee®, Porter-Cable®, Ryobi®, Skil®.



Framing



Wood Decking



Plywood

ØD	Teeth	Grind	Kerf		Plate		Hook Angle	Bore	Packaged	Tool No.
			Inch	mm	Inch	mm				
7-1/4"	24	ATB	.106	2.7	.059	1.5	18°	5/8" ◆	Carded	175-24C
7-1/4"	24	ATB	.106	2.7	.059	1.5	18°	5/8" ◆	Bulk†	175-24B
7-1/4"	40	ATB	.106	2.7	.059	1.5	18°	5/8" ◆	Carded	175-40C
7-1/4"	40	ATB	.106	2.7	.059	1.5	18°	5/8" ◆	Bulk†	175-40B
7-1/4"	60	ATB	.095	2.4	.062	1.6	12°	5/8" ◆	Carded	175-60C
7-1/4"	60	ATB	.095	2.4	.062	1.6	12°	5/8" ◆	Bulk†	175-60B


◆ Denotes 5/8" arbor diamond knockout.

† Bulk Pack: 25 pcs. per box.


GENERAL PURPOSE

USO GENERAL — MADERA


Ideal blade for framing work (rip and crosscuts). Perfect general purpose use blade for 8-1/4" side-winder and/or worm drive saws. Clamshell packed for display.



ATB Grind



Thin Kerf



Micrograin Carbide Tips



For use in Portable Handheld Saws




Also fits the following 8-1/4" Electric and Worm Drive saws:

Black&Decker®, Bosch®, DeWalt®, Hitachi®, Makita®, Milwaukee®, Porter-Cable®, Skil®.

Popular saws made by: Delta® 36-275, Japson® 8408, Makita® 2702, 2708W.

Compound Miter Saws: Delta® 36-049, Pro-tech® 7203.



Framing



Wood Decking



Plywood

ØD	Teeth	Grind	Kerf		Plate		Hook Angle	Bore	Packaged	Tool No.
			Inch	mm	Inch	mm				
8-1/4"	24	ATB	.079	2.0	.053	1.35	15°	5/8" ◆	Clamshell	215-240
8-1/4"	40	ATB	.087	2.2	.063	1.6	20°	5/8" ◆	Clamshell	215-400


◆ Denotes 5/8" arbor with diamond knockout.

GENERAL PURPOSE & FINISHING


USO GENERAL — CORTE FINO Y LIMPIO

For miter saw or stationary table saw


Excellent for general purpose, crosscutting and finishing of softwoods and hardwoods. The 0° hook angle allows for use on a broad range of material as well as machine types. Clamshell packed for display.




ATB Grind



Thin Kerf



Micrograin Carbide Tips



For use in Table Saws, Radial Arm Saws & Miter Saws




Also for miter box saws, compound miter saws, sliding compound miter saws & dual sliding compound miter saws:

Bosch® 3915; Delta® 36-070, 36-040, 36-075, 36-220, 36-225, 36-240, 36-250; Hitachi® C10FC2, C10FS, C10FCD; Makita® LS1039N, LS1040, LS1045, LS1011, LS1013; Milwaukee® 6490-6, 6496-6, 6497-6; Porter Cable® 3807; Pro-tech® 7107, 7207, 7208; Ryobi® TS254.

Also for portable table saws and contractor table saws:

Delta® 36-540, 36-440, 36-444, 36-445, 36-480, 36-490; DeWalt® DW744S, DW746, DW703; Grizzly® G5045, G1022, G1022Z, G1022ZFX, G1022SM, G1023S/SC; Jet® JWTS-10JF, JWTS-10CW2-PFX, JWTS-10PF, JWTS-10PFX; Jet Equipment® JTS-10DD; Hitachi® C10RA2; Makita® 2711, 2703/X1; Porter Cable® 3812; Pro-tech® 4106; Ryobi® BT3000; Skil® 3300, 3400, 3400-08.

Radial arm saw: Delta® 33-990.



Framing



Floor Beams


ØD	Teeth	Grind	Kerf		Plate		Hook Angle	Bore	Packaged	Tool No.
			Inch	mm	Inch	mm				
10"	40	ATB	.091	2.3	.063	1.6	0°	5/8"	Clamshell	250-400
10"	60	ATB	.091	2.3	.063	1.6	0°	5/8"	Clamshell	250-600
10"	80	ATB	.091	2.3	.063	1.6	0°	5/8"	Clamshell	250-800

FINE CROSSCUT


CORTE FINO Y LIMPIO

This blade produces quality cuts when sizing plywood, MDF, plastics and other sheet goods with a portable circular saw.


Clamshell packed for display.




ATB Grind



Thin Kerf




Micrograin Carbide Tips



For use in Portable Handheld Saws



Plywood



Plastic

ØD	Teeth	Grind	Kerf		Plate		Hook Angle	Bore	Packaged	Tool No.
			Inch	mm	Inch	mm				
7-1/4"	40	TCG	.090	2.3	.059	1.5	0°	5/8" ♦	Clamshell	175-41C

♦ Denotes 5/8" arbor with diamond knockout.


PCD FOR FIBER CEMENT BOARD

SIERRA DIAMANTADA — TABLEROS DE CEMENTO




Polycrystalline Diamond (PCD) tipped teeth for greater cuts in Hardiplank®, Hardiboard® and Wonderboard®.

- Harder cutting edge provides higher resistance to wear
- Up to 40X's longer life than carbide tipped
- Quality of finish is often significantly improved
- Laser-cut plate, bore & expansion slots
- Hand flattened and tempered plate



FT Grind



Thin Kerf




Diamond Teeth



For use in
Portable Saws
(7-1/4" blade only)



For use in
Chop and Miter Saws
(10"-12" blades only)



Cement Board

ØD	Teeth	Grind	Kerf		Plate		Hook Angle	Bore	Packaged	Tool No.
7-1/4"	4	FT	.071	1.8	.047	1.2	0°	5/8" ♦	Carded	185-04PCD
10"	6	FT	.087	2.2	.063	1.6	0°	1"	Clamshell	255-06PCD
12"	8	FT	.087	2.2	.063	1.6	0°	1"	Clamshell	305-08PCD


♦ Denotes 5/8" arbor with diamond knockout.

FIBERFORCE™ FIBER CEMENT BOARD CUTTING


FIBRA DE CEMENTO

Contains a unique six-tooth carbide tipped design that is made for cutting single sheets of cement board or Wonderboard®. Clamshell packed for display.

- Special flat top tooth grind
- Hardened body for long life
- Unique shoulder design for consistent chip removal
- Harder carbide for maximum cutting life




ATB Grind



ATAF Grind



Thin Kerf




Micrograin Carbide Tips



For use in
Portable Saws
(7-1/4" blade only)



For use in
Chop and Miter Saws
(10"-12" blades only)



Cement Board

ØD	Teeth	Grind	Kerf		Plate		Hook Angle	Bore	Packaged	Tool No.
7-1/4"	6	ATB	.073	1.84	.046	1.16	15°	5/8" ♦	Clamshell	185-06
10"	32	ATAF	.118	3.0	.087	2.2	5°	5/8"	Clamshell	254-32
12"	40	ATAF	.126	3.2	.087	2.2	5°	1"	Clamshell	305-40

♦ Denotes 5/8" arbor with diamond knockout.

FINISHING

CORTE FINO Y LIMPIO — MELAMINA, MDF, PLASTICOS

Designed for finishing, crosscutting plastics, double sided melamine, plastic laminated MDF and Coroplast®. The 0° hook angle allows for use on a broad range of material as well as machine types. Clamshell packed for display.




TC Grind



Thin Kerf



Micrograin Carbide Tips



For use in Table Saws, Radial Arm Saws & Miter Saws




Also for the following miter box saws, compound miter, sliding compound miter and dual sliding compound miter saws:

Bosch® 3912, DeWalt® DW704, DW705, DW706, DW708, Delta® 36-235, Makita® LS1220, LS1211, LS1212, Porter Cable® 3802 Pro-tech® CS72121.

Radial arm saw: Delta® 33-890



Laminate



Plastic



Melamine

ØD	Teeth	Grind	Inch	Kerf mm	Plate Inch	Plate mm	Hook Angle	Bore	Packaged	Tool No.
10"	60	TCG	.091	2.3	.063	1.6	0°	5/8"	Clamshell	250-601
10"	80	TCG	.091	2.3	.063	1.6	0°	5/8"	Clamshell	250-801

FINISHING BLADES FOR MITER SAW/ STATIONARY TABLE SAW

CORTE FINO Y LIMPIO — MADERAS

Blades are designed for crosscutting and finishing of softwoods and hardwoods. The 0° hook angle allows for use on a broad range of material as well as machine types. Clamshell packed for display.




ATB Grind



Thin Kerf



Micrograin Carbide Tips



For use in Table Saws, Radial Arm Saws & Miter Saws



Also for the following miter box saws, compound and sliding compound miter saws and dual sliding compound miter saws:

Bosch® 3912; DeWalt® DW704, DW705, D708; Delta® 36-235; Makita® LS1220, LS1211; Porter Cable® 3802; Pro-tech® CS72121.


Radial arm saw: Delta® 33-890



Framing



Wood Decking



Shelving


ØD	Teeth	Grind	Inch	Kerf mm	Plate Inch	Plate mm	Hook Angle	Bore	Packaged	Tool No.
12"	60	ATB	.118	3.0	.087	2.2	0°	1"	Clamshell	300-600
12"	100	ATB	.118	3.0	.087	2.2	0°	1"	Clamshell	300-100

ALUMINUM & NON-FERROUS


ALUMINIO Y METALES NO FERROSOS

Designed for cutting thin non-ferrous products and plastics. Features a 5° negative hook angle. Clamshell packed for display.

Note: For optimal results and to extend tool life please use mist lubricant system or air cooling. Please inspect cut and adjust accordingly.



TC Grind



Thin Kerf



Micrograin Carbide Tips



For use in Portable Handheld Saws



Aluminum



Brass



Copper



Plastic

ØD	Teeth	Grind	Kerf Inch mm	Plate Inch mm	Hook Angle	Bore	Packaged	Tool No.
7-1/4"	50	TCG	.110 2.8	.087 2.2	-5°	5/8" ♦	Boxed	185-505 ▲

♦ Denotes 5/8" arbor with diamond knockout. ▲ Not for use on worm drive saws.

WARNING: Never attempt to cut ferrous metals (steel, iron, etc.) with these saw blades.

DADO SET

JUEGO RANURADOR

Carbide tipped 8" precision stacking dado set. High performance results with an incredible value. Cut grooves and dados from 1/4" to 13/16". Set consists of two outside saw blades, four 1/8" chippers, and one 1/16" chipper. Black oxide finish.

Dia.	Teeth	Grind	Bore	Tool No.
8"	24	ATB/FT	5/8"	800-240

Refer to the included instruction manual for directions on how to stack and operate this dado.

Ideal for cutting dadoes, grooves and tenons for strong mortise-and-tenon joinery:



Half Lap



Tenons



Dencil



Groove & Rabbets



Corner Lap



End Lap



Box Joints



Ship Lap



Plywood

Hardwood

Melamine & Laminate



Includes Dado Shim Set #DSS-100

4 Gold (.002"/.05mm), 2 Yellow (.004"/.10mm),
4 Clear (.010"/.25mm) and 4 White (.020"/.5mm) Shims





Saw Blades Designed for
DIY Market & Contractors

TI-CUT™ GENERAL PURPOSE & FINISHING SAW BLADES

USO GENERAL — CORTE FINO

Heat-treated and large carbide tips precisely ground for smooth cuts every time. Designed for Do-It-Yourself market and contractors. Low retail price, very economical. Clamshell packed for display.




Framing



Wood Decking



Plywood



ØD	Teeth	Grind	Kerf		Plate		Hook Angle	Bore	Packaged	Tool No.
Inch			Inch	mm	Inch	mm	°			
7-1/4"	24	ATB	.087	2.2	.059	1.5	10°	5/8" ♦	Boxed	72524 †
7-1/4"	40	ATB	.087	2.2	.059	1.5	10°	5/8" ♦	Boxed	72540 †
8"	32	ATB	.122	3.1	.070	1.8	10°	5/8" ♦	Clamshell	80032
8"	40	ATB	.122	3.1	.070	1.8	10°	5/8" ♦	Clamshell	80040
8"	60	ATB	.122	3.1	.070	1.8	10°	5/8" ♦	Clamshell	80060
8-1/4"	24	ATB	.122	3.1	.070	1.8	10°	5/8" ♦	Clamshell	82524
8-1/4"	40	ATB	.122	3.1	.070	1.8	10°	5/8" ♦	Clamshell	82540
10"	30	ATB	.122	3.1	.070	1.8	10°	5/8"	Clamshell	10030
10"	30	ATB	.122	3.1	.070	1.8	10°	30mm	Clamshell	10030-30 ‡
10"	40	ATB	.122	3.1	.070	1.8	18°	5/8"	Clamshell	10040
10"	40	ATB	.122	3.1	.070	1.8	18°	30mm	Clamshell	10040-30 ‡
10"	60	ATB	.122	3.1	.070	1.8	10°	5/8"	Clamshell	10060
10"	60	ATB	.122	3.1	.070	1.8	10°	30mm	Clamshell	10060-30 ‡
10"	80	ATB	.122	3.1	.070	1.8	10°	5/8"	Clamshell	10080
10"	80	ATB	.122	3.1	.070	1.8	10°	30mm	Clamshell	10080-30 ‡
12"	24	ATB	.128	3.25	.095	2.4	10°	1"	Clamshell	12024
12"	24	ATB	.128	3.25	.095	2.4	10°	30mm	Clamshell	12024-30 ‡
12"	40	ATB	.128	3.25	.095	2.4	18°	1"	Clamshell	12040
12"	40	ATB	.128	3.25	.095	2.4	18°	30mm	Clamshell	12040-30 ‡
12"	60	ATB	.128	3.25	.095	2.4	10°	1"	Clamshell	12060
12"	60	ATB	.128	3.25	.095	2.4	10°	30mm	Clamshell	12060-30 ‡
12"	80	ATB	.128	3.25	.095	2.4	10°	1"	Clamshell	12080
12"	80	ATB	.128	3.25	.095	2.4	10°	30mm	Clamshell	12080-30 ‡



PLASTIC PLASTICOS

No-melt saw blades are designed specifically with negative hook angle, which greatly reduces the tendency of chip-welding or melting of acrylic sheets, Plexiglas®, Lexant®, and other plastics and polycarbonates. Clamshell packed for display.



MTC Grind



Thin Kerf




Micrograin
Carbide Tips



For use in
Chop and Miter Saws



Laminate



Plastic



Melamine

ØD	Teeth	Grind	Kerf		Plate		Hook Angle	Bore	Packaged	Tool No.
Inch			Inch	mm	Inch	mm				
10"	60	MTC	.122	3.1	.070	1.8	-2°	5/8"	Clamshell	10061
10"	60	MTC	.122	3.1	.070	1.8	-2°	30mm	Clamshell	10061-30 ‡

‡ Blades with 30mm bore includes the following reduction bearings: 30mm to 1", 30mm to 3/4" and 30mm to 5/8".



STEEL METAL

Specially designed carbide and blade geometry for cutting mild steel, steel studs and steel sheets. Clamshell packed for display.

Note: For optimal results and to extend tool life please use mist lubricant system or air cooling. Please inspect cut and adjust accordingly.



ATB Grind



Thin Kerf



Micrograin
Carbide Tips




For use in Portable
Handheld Saws



Steel Pipes



Steel Studs



Mild Steel Sheets

ØD	Teeth	Grind	Bore	Tool No.
7-1/4"	48	ATB	5/8" ♦	185-48STL

♦ Denotes 5/8" arbor with diamond knockout.



FINE CROSSCUT & CUTOFF

CORTE FINO — TRIPLAY & MELAMINA

These blades are ideal for cutting material with fragile surface layers, such as veneers and laminates. The triple chip grind high tooth count yields smooth finishes. The 10° hook angle provides effortless feeding. Clamshell packed for display.



TC Grind



Thin Kerf



Micrograin Carbide Tips




For use in
Chop and Miter Saws



Laminate



Plywood Veneer
& Chipboard



Melamine

ØD	Teeth	Grind	Kerf		Plate		Hook Angle	Bore	Packaged	Tool No.
			Inch	mm	Inch	mm				
10"	80	TCG	.122	3.1	.071	1.8	10°	5/8"	Clamshell	10081
10"	80	TCG	.122	3.1	.071	1.8	10°	30mm	Clamshell	10081-30 ‡
12"	100	TCG	.128	3.25	.095	2.4	10°	1"	Clamshell	12100

‡ Blades with 30mm bore includes the following reduction bearings: 30mm to 1", 30mm to 3/4" and 30mm to 5/8".



ALUMINUM & NON-FERROUS

ALUMINIO Y METALES NO FERROSOS

Specially designed carbide and blade geometry for cutting relatively thin-walled aluminum and non-ferrous extrusions and frames. Clamshell packed for display.

Note: For optimal results and to extend tool life please use mist lubricant system or air cooling. Please inspect cut and adjust accordingly.



TC Grind



Thin Kerf



Micrograin Carbide Tips



For use in
Chop and Miter Saws



Aluminum



Brass



Copper

Perfect for the following miter box saws, compound miter saws, sliding compound miter saws and dual sliding compound miter saws:
Bosch® 3912; DeWalt® DW704, DW705, D708; Delta® 36-235; Makita® LS1220, LS1211; Porter Cable® 3802; Pro-tech® CS72121.

Radial arm saws: Delta® 33-890

ØD	Teeth	Grind	Kerf		Plate		Hook Angle	Bore	Packaged	Tool No.
			Inch	mm	Inch	mm				
10"	80	TCG	.122	3.1	.075	1.9	-5°	5/8"	Clamshell	10181
10"	80	TCG	.122	3.1	.071	1.8	-5°	30mm	Clamshell	10181-30 ‡
12"	96	TCG	.128	3.25	.095	2.4	-5°	1"	Clamshell	12096
12"	96	TCG	.128	3.25	.095	2.4	-5°	30mm	Clamshell	12096-30 ‡

‡ Blades with 30mm bore includes the following reduction bearings: 30mm to 1", 30mm to 3/4" and 30mm to 5/8".

WARNING: Never attempt to cut ferrous metals (steel, iron, etc.) with these saw blades.



FLOORING SAW BLADES

for Jamb, Undercut & Toe-Kick Saws



SAW BLADES FOR CRAIN® JAMB/UNDERCUT SAWS

FLOOR KING SIERRAS PARA CRAIN

Excellent for long lasting, accurate & level cutting along walls, baseboards, cabinet toe kicks, door jambs, inside corners and most hanging doors. Handy to cut most doors in place. Perfect undercut thickness for vinyl flooring. Tensioned and heat treated plate for virtually no run-out and premium carbide tips that can be re-sharpened many times.



ATB Grind




Thin Kerf




Micrograin Carbide Tips



For use in
Jamb/Undercut Saws



Baseboard & Trim



Door Jambs

Use with CRAIN® Jamb/Undercut Saw	Comparable to CRAIN® Blade	ØD	Teeth	Grind	Kerf		Plate		Hook Angle	Bore	Packaged	Tool No.
#812, #820, #825	#821	6-1/2"	40	ATB	.098	2.5	.069	1.7	19°	7/8" Concave	Carded	65040 ▲
#800, #810	#804	6-1/2"	40	ATB	.087	2.2	.063	1.6	14°	5/8" Bevel	Carded	65042 ▲

▲ **Caution:** As these blades are subject to possible abuse, they are not guaranteed. Not recommended for cutting metal as sparks can be a fire hazard.


CRAIN® is a registered trademark of Crain Cutter Co, Inc.



SAW BLADES FOR CRAIN® MULTI-UNDERCUT SAWS

FLOOR KING SIERRAS PARA CRAIN – MULTI RECORTES POR ABAJO

Use to fully undercut inside corners, as well as undercut along walls, door jambs and under spaces. Tensioned and heat treated plate for virtually no run-out and premium carbide tips that can be re-sharpened many times.



ATB Grind



Thin Kerf




Micrograin Carbide Tips



For use in CRAIN®
Multi-Undercut Saws



Undercut Walls



Door Jambs

Use with CRAIN® Multi-Undercut Saw	Comparable to CRAIN® Blade	ØD	Teeth	Grind	Kerf		Plate		Hook Angle	Bore	Packaged	Tool No.
#555*	#556	5-1/2"	36	ATB	.098	2.5	.067	1.7	18°	22.22mm Concave	Carded	55036 ▲
#550**	#552	5-1/2"	40	ATB	.087	2.2	.063	1.6	12°	14mm Bevel	Carded	55040 ▲

▲ **Caution:** As these blades are subject to possible abuse, they are not guaranteed. Not recommended for cutting metal as sparks can be a fire hazard.

* Due to the bell-shaped rigid design, this blade is for use ONLY with CRAIN® multi-undercut saw #555.

** Fits the older/discontinued CRAIN® model #550 multi-undercut saws ONLY.



SAW BLADES FOR CRAIN® TOE-KICK SAWS

FLOOR KING SIERRAS PARA CRAIN - ZOCALOS

Lightweight saw blade for smooth cutting action with superb handling. Use in tricky spots such as cutting flooring flush with wall and cabinet bases. No need to shim-up your saw with this smaller cutting depth. Protects subflooring while excellent to use on thinner underlayments. For wood only. Tensioned and heat treated plate for virtually no run-out and premium carbide tips that can be re-sharpened many times.




ATB Grind




Thin Kerf



Micrograin Carbide Tips



For use in
Toe-Kick Saws



Baseboard & Trim



Wood Flooring

Use with CRAIN® Toe-Kick Saw	Comparable to CRAIN® Blade	ØD	Teeth	Grind	Kerf Inch mm	Plate Inch mm	Hook Angle	Bore	Packaged	Tool No.
#795*	#788	2-3/4"	16	ATB	.118 3.0	.063 1.6	10°	1/2" Bevel	Carded	23416 ▲
#785** & #795**	#787	3-3/8"	18	ATB	.102 2.6	.067 1.7	10°	1/2" Bevel	Carded	33818 ▲
#785** & #795**	#787	3-3/8"	24	ATB	.102 2.6	.067 1.7	10°	1/2" Bevel	Carded	33824 ▲

▲ **Caution:** As these blades are subject to possible abuse, they are not guaranteed. Not recommended for cutting metal as sparks can be a fire hazard.

* Fits the older/discontinued CRAIN® models #795 toe-kick saws ONLY.

** Fits the older/discontinued CRAIN® models #785 and #795 toe-kick saws ONLY.



SAW BLADES FOR ROBERTS® JAMB/UNDERCUT SAWS

FLOOR KING SIERRAS PARA CRAIN – RECORTES DE MARCOS
P/PUERTAS POR ABAJO

Carbide tips provide durable performance for cutting wood trim, door jams and baseboards. Also for undercutting corners, door jams, & walls. Handy to cut most doors in place. Perfect undercut thickness for vinyl flooring. Tensioned and heat-treated plate for virtually no run-out and premium carbide tips that can be re-sharpened many times.



ATB Grind



Thin Kerf



Micrograin Carbide Tips



For use in Roberts®
Jamb/Undercut Saws



Undercut Walls



Door Jams

Use with Roberts® Jamb/Undercut Saw	Comparable to Roberts® Blade	ØD	Teeth	Grind	Kerf Inch mm	Plate Inch mm	Hook Angle	Bore	Packaged	Tool No.
#10-40 & #21600	#10-42	4-1/4"	20	ATB	.098 2.5	.060 1.5	5°	5/8" & 20mm†	Carded	45020 ▲
#10-46 & #10-55	#10-47-6	6-3/16"	20	ATB	.087 2.2	.071 1.8	18°	20mm Concave	Carded	63020 ▲
#10-46 & #10-55	#10-47-2	6-3/16"	36	ATB	.098 2.5	.060 1.5	18°	20mm Concave	Carded	63036 ▲

▲ **Caution:** As these blades are subject to possible abuse, they are not guaranteed. Not recommended for cutting metal as sparks can be a fire hazard.

† 20mm bore, comes with bushing to 5/8" bore.

Roberts® is a registered trademark of the Q.E.P. Corporation.
Floor King® is a registered trademark of the Amana Tool Corporation.

EXTENDED LIFE

DIAMOND RIM SAW BLADES

- Steel saw blade with diamond impregnated grit edge
- Long life performance
- Fast cuts on wet & dry cutting saws machines




CONTINUOUS RIM DIAMOND SAW BLADES FOR CRAIN® TOE-KICK SAWS

DISCO DIAMANTADO - RIN CONTINUO

General purpose Continuous Diamond Rim saw blade with 3/8" cutting depth ideal for tile repair and cutting grout. Featuring an ultra thin kerf design requiring less horsepower and reduced stock loss. Tensioned and heat treated plate for virtually no run-out. Clamshell packed for display.



WET  / DRY 




Continuous Diamond Rim




Thin Kerf




Diamond Grit



For use in Toe-Kick Saws




Brick



Stone/Concrete



Ceramic Tile



Marble

Use with CRAIN® Toe-Kick Saw	Comparable to CRAIN® Blade	ØD	Kerf Inch mm	Plate Inch mm	Hook Angle	Bore	Packaged	Tool No.
#795*	#789	2-5/8"	0.79 2.0	.047 1.2	19°	14mm	Clamshell	25800

* Fits the older/discontinued CRAIN® model #795 undercut saws ONLY.

CONTINUOUS RIM DIAMOND SAW BLADES

DISCO DIAMANTADO - RIN CONTINUO

These blades provide the smoothest cut by ultra smooth chip-free cutting in ceramic tiles, marble and porcelain. Clamshell packed for display.



WET  / DRY 




Continuous Diamond Rim



Diamond Grit



For use in Tile & Wet Cutting Machines and Grinding Cutters



ØD	Kerf	Bore	Bushings	Max RPM	Packaged	Tool No.
4"	.07"	7/8"	5/8" & 20mm	15,300	Clamshell	640-100
4-1/2"	.08"	7/8"	5/8" & 20mm	13,300	Clamshell	640-110
7"-7-1/4"	.09"	5/8" ♦	—	8,500	Clamshell	640-140
8"	.10"	5/8" ♦	—	7,600	Clamshell	640-145
9"	.11"	7/8"	5/8"	6,600	Clamshell	640-150
10"	.11"	5/8"	—	6,100	Clamshell	640-160
12"	.125"	1"	7/8" & 20mm	5,100	Clamshell	640-170
14"	.135"	1"	20mm	4,300	Clamshell	640-180

♦ Denotes 5/8" arbor with 7/8" diamond knockout.

TURBO RIM DIAMOND SAW BLADES

DISCO DIAMANTADO - RIN TURBO

These blades are sintered with a serrated cutting edge to stay in constant contact with the material and produce a smoother cut than the segmented blades. They are ideal for cutting concrete, brick, pavers, slate, granite and marble. They have a longer life than the continuous rim blades. Clamshell packed for display.



Turbo Diamond Rim



Diamond Grit



For use in Tile & Wet Cutting Machines and Grinding Cutters




WET  **DRY** 




Cinder Block




Brick



Stone/Concrete



Slate



Marble

ØD	Kerf	Bore	Bushings	Max RPM	Packaged	Tool No.
4"	.09"	7/8"	5/8" & 20mm	14,500	Clamshell	640-200
4-1/2"	.09"	7/8"	5/8" & 20mm	13,300	Clamshell	640-210
7"-7-1/4"	.11"	5/8" ♦	—	8,500	Clamshell	640-240
8"	.10"	5/8" ♦	—	7,600	Clamshell	640-245
9"	.125"	7/8"	5/8"	6,600	Clamshell	640-250
10"	.14"	5/8"	—	6,100	Clamshell	640-260
12"	.15"	1"	7/8" & 20mm	5,100	Clamshell	640-270
14"	.160"	1"	20mm	4,300	Clamshell	640-280

♦ Denotes 5/8" arbor with 7/8" diamond knockout.

SEGMENTED RIM DIAMOND SAW BLADES

DISCO DIAMANTADO - RIN SEGMENTADO

This type of blade provides the longest life at the lowest cost per cut. The segmented gullets provide faster, cleaner and cooler cuts. They are ideal for cutting concrete, concrete block, concrete pavers and slate. They should be used where chipping is not a problem. Clamshell packed for display.



Segmented Diamond Rim



Diamond Grit




For use in Tile & Wet Cutting Machines and Grinding Cutters




WET  **DRY** 



Cinder Block



Stone/Concrete



Slate

ØD	Kerf	Bore	Bushings	Max RPM	Packaged	Tool No.
4"	.07"	7/8"	5/8" & 20mm	14,500	Clamshell	640-300
4-1/2"	.08"	7/8"	5/8" & 20mm	13,300	Clamshell	640-310
7"-7-1/4"	.09"	5/8" ♦	—	8,500	Clamshell	640-340
8"	.10"	5/8" ♦	—	7,600	Clamshell	640-345
9"	.1"	7/8"	5/8"	6,600	Clamshell	640-350
10"	.11"	5/8"	—	6,100	Clamshell	640-360
12"	.125"	1"	7/8" & 20mm	5,100	Clamshell	640-370
14"	.125"	1"	20mm	4,300	Clamshell	640-380
16"	.160"	1"	20mm	3,800	Clamshell	640-390

♦ Denotes 5/8" arbor with 7/8" diamond knockout.


SAW BLADE REDUCING BUSHINGS

ANILLOS REDUCTORES PARA SIERRAS CIRCULARES

Designed to reduce the arbor.

NOTE: Most saw blade bushings have serrations on the outside diameter edge to provide a better grip.

Ød	ØD	'B' Bushing Thickness	Tool No.
5/8"	10mm	.053"	BU-125
5/8"	1/2"	.060"	BU-110
3/4"	5/8"	.062"	BU-150
20mm	3/8"	.062"	BU-120
20mm	1/2"	.060"	BU-123
22mm	3/4"	.062"	BU-130
22mm	20mm	.070"	BU-140
1"	5/8"	.086"	BU-100
1"	7/8"	.097"	BU-225
1"	7/8"	.110"	BU-250
1"	3/4"	.075"	BU-200
1"	20mm	.097"	BU-122
1-1/8"	1"	.086"	BU-300
1-1/4"	1"	.086"	BU-400
1-1/4"	1-1/8"	.075"	BU-500
1-1/4"	30mm	.086"	BU-450
30mm	5/8"	.070"	BU-515
30mm	3/4"	.070"	BU-520
30mm	25mm	.070"	BU-530
30mm	1"	.070"	BU-525





SAW BLADE STABILIZERS/STIFFENERS

ESTABILIZADORES PARA SIERRAS CIRCULARES

Used in conjunction with the collar(s) provided on your machine to increase the overall 'stiffness' of the saw blade. Particularly useful for 'thin-kerf' type blades. Unlike certain other brands, Timberline® stabilizers are made from the same quality tool steel that is used on our Industrial Series saw blades. The steel is ground (not stamped) and is extremely flat on both sides to reduce run-out & vibration.

Please note that the depth of cut will be reduced slightly and the table insert (if applicable) may obstruct the stabilizers when raising the blade height on table saws. You may use one or two stabilizers, depending on application and arbor length. Each order number consists of one pair.

Ød	ØD	'A' Stabilizer Thickness	Use With Saw Blade Diameter(s)	Tool No.
5/8"	4"	.098" (x2)	8" - 12"	STF-4
30mm	4"	.098" (x2)	8" - 12"	STF-4-30
1"	6"	.098" (x2)	14" - 20"	STF-6





JIGSAW BLADES • T-SHANK

SEGUETA PARA SIERRA CALADORA — 2 PZS.




T-Shank jigsaw blades for quick and easy cuts in today's challenging materials.



Wood & Plywood



Wood w/Nails




Thin Metals



Aluminum



Laminate



Ceramic Tile
& Fiberglass

B	L	TPI	Blade Type	Application	Shank	Pcs per Pkg	Tool No.
3"	4"	6	High Carbon Steel	Plywood, Hard/Softwood	T	2	601-300
3"	4"	10	High Carbon Steel	Plywood, Hard/Softwood	T	2	601-302
2-5/16"	3-1/4"	21	High Carbon Steel	Plywood, Hard/Softwood	T	2	601-304

B	L	TPI	Blade Type	Application	Shank	Pcs per Pkg	Tool No.
3"	4"	8	Bi-Metal	Wood w/Nails	T	2	601-306

B	L	TPI	Blade Type	Application	Shank	Pcs per Pkg	Tool No.
2-5/8"	3-5/8"	24	High Speed Steel	Thin Metals 1/16" - 1/8"	T	2	601-310
2-5/8"	3-5/8"	14	Bi-Metal	Medium-Thin Metals 1/8" - 1/4"	T	2	601-312
2-5/8"	3-5/8"	18	Bi-Metal	Medium Metals 5/64" - 7/32"	T	2	601-314

B	L	TPI	Blade Type	Application	Shank	Pcs per Pkg	Tool No.
3"	4"	8	High Speed Steel	Aluminum 3/16" - 5/8"	T	2	601-320

B	L	TPI	Blade Type	Application	Shank	Pcs per Pkg	Tool No.
3"	4"	10	High Carbon Steel	Laminated Particle Board	T	2	601-308
				"Reverse Cut"			

B	L	Grit	Blade Type	Application	Shank	Pcs per Pkg	Tool No.
2-5/16"	3-1/4"	30 Grit	Carbide Grit	Ceramic & Fiberglass 3/64" - 3/8"	T	1	601-330
2-5/16"	3-1/4"	50 Grit	Carbide Grit	Ceramic & Fiberglass 3/64" - 3/8"	T	1	601-332

5 & 10 PIECE JIGSAW BLADE SET • T-SHANK

JUEGO — 5 Y 10 PZS. SEGUETAS PARA SIERRA CALADORA



Wood & Plywood



Thin Metals

B	L	TPI	Blade Type	Application	Pcs per Pkg	Tool No.
3"	4"	6	High Carbon Steel	Wood	1	601-300
3"	4"	10	High Carbon Steel	Wood	1	601-302
2-5/16"	3-1/4"	21	High Carbon Steel	Wood	1	601-304
2-5/8"	3-5/8"	24	High Carbon Steel	Thin Metals	1	601-310
2-5/8"	3-5/8"	14	Bi-Metal	Thin Metals	1	601-312
5 Piece Set						601-362

3"	4"	6	High Carbon Steel	Wood	2	601-300
3"	4"	10	High Carbon Steel	Wood	2	601-302
2-5/16"	3-1/4"	21	High Carbon Steel	Wood	2	601-304
2-5/8"	3-5/8"	24	High Carbon Steel	Thin Metals	2	601-310
2-5/8"	3-5/8"	14	Bi-Metal	Thin Metals	2	601-312
10 Piece Set						601-360





JIGSAW BLADES • U-SHANK

SEGUETA PARA SIERRA CALADORA — 2 PZS.



U-Shank jigsaw blades for quick and easy cuts in today's challenging materials.



Wood & Plywood




Wood w/Nails



Laminate



Thin Metals



Ceramic Tile & Fiberglass

B	L	TPI	Blade Type	Application	Shank	Pcs per Pkg	Tool No.
3"	3-5/8"	6	High Carbon Steel	Plywood, Hard/Softwood	U	2	601-340
3"	3-5/8"	10	High Carbon Steel	Plywood, Hard/Softwood	U	2	601-342
2"	2-3/4"	21	High Carbon Steel	Plywood, Hard/Softwood	U	2	601-344

B	L	TPI	Blade Type	Application	Shank	Pcs per Pkg	Tool No.
3-3/16"	4"	6	Bi-Metal	Wood w/Nails	U	2	601-346

B	L	TPI	Blade Type	Application	Shank	Pcs per Pkg	Tool No.
3-3/16"	3-5/8"	10	High Carbon Steel	Laminated Particle Board	U	2	601-348

B	L	TPI	Blade Type	Application	Shank	Pcs per Pkg	Tool No.
2"	2-3/4"	24	High Speed Steel	Thin Metals 1/16" - 1/8"	U	2	601-350
2"	2-3/4"	14	Bi-Metal	Medium-Thin Metals 1/8" - 1/4"	U	2	601-352
2"	2-3/4"	18	Bi-Metal	Medium Metals 5/64" - 7/32"	U	2	601-354

B	L	Grit	Blade Type	Application	Shank	Pcs per Pkg	Tool No.
2"	2-3/4"	30 Grit	Carbide Grit	Ceramic & Fiberglass 3/64" - 3/8"	U	1	601-358

5 & 10 PIECE JIGSAW BLADE SET • U-SHANK

JUEGO — 5 Y 10 PZS. SEGUETAS PARA SIERRA CALADORA



Wood & Plywood



Thin Metals

B	L	TPI	Blade Type	Application	Pcs per Pkg	Tool No.
3"	3-5/8"	6	High Carbon Steel	Wood	1	601-340
3"	3-5/8"	10	High Carbon Steel	Wood	1	601-342
2"	2-3/4"	21	High Carbon Steel	Wood	1	601-344
2"	2-3/4"	24	High Carbon Steel	Thin Metals	1	601-350
2"	2-3/4"	14	Bi-Metal	Thin Metals	1	601-352
5 Piece Set						601-366

3"	3-5/8"	6	High Carbon Steel	Wood	2	601-340
3"	3-5/8"	10	High Carbon Steel	Wood	2	601-342
2"	2-3/4"	21	High Carbon Steel	Wood	2	601-344
2"	2-3/4"	24	High Carbon Steel	Thin Metals	2	601-350
2"	2-3/4"	14	Bi-Metal	Thin Metals	2	601-352
10 Piece Set						601-364



SLOTTED DRIVE SYSTEM (SDS) DRILL BITS

BROCAS PARA CONCRETO-SISTEMA SDS




SDS PLUS carbide tipped bits for Hammer Drills/Rotary Hammers

Excellent for drilling the toughest concrete. Specially designed carbide tips and spiral flutes combine to give the straightest drilling with the quickest removal of dust and chips in any position. Carbide tips & high grade steel body adds longer life to the bit.




SDS MAX carbide tipped bits for Hammer Drills/Rotary Hammers

Similar to above, but available in larger diameters. Specially designed carbide tips and spiral flutes combine to give the straightest drilling with the quickest removal of dust and chips in any position. Carbide tips & high grade steel body adds longer life.



Brick



Stone/Concrete



Hammer Drill

SLOTTEDDRIVESYSTEM
PLUS

CARBIDE TIPPED DRILL BITS

BROCAS PARA CONCRETO-SISTEMA SDS PLUS

Rotary hammer bits with 4 flute carbide tipped head for long drilling life with quick dust removal and greater accuracy under extreme loads.



ØD	B	L	Tool No.
5/32"	2"	4"	613-100
5/32"	4"	6"	613-104
3/16"	2"	4"	613-108
3/16"	4"	6"	613-112
3/16"	6"	8"	613-116
3/16"	8"	10"	613-120
3/16"	10"	12"	613-124
7/32"	2"	4"	613-128
7/32"	6"	8"	613-132
7/32"	10"	12"	613-136
1/4"	2"	4"	613-140
1/4"	4"	6"	613-144
1/4"	6"	8"	613-148
1/4"	10"	12"	613-152
1/4"	12"	14"	613-156
5/16"	4"	6"	613-160
5/16"	6"	8"	613-162
5/16"	10"	12"	613-164
3/8"	4"	6"	613-168
3/8"	8"	10"	613-172
3/8"	10"	12"	613-176
3/8"	16"	18"	613-180
3/8"	22"	24"	613-184
7/16"	4"	6"	613-188
7/16"	10"	12"	613-192
1/2"	4"	6"	613-196

Unit Pack: Hanging Hook

ØD	B	L	Tool No.
1/2"	8"	10"	613-200
1/2"	10"	12"	613-204
1/2"	16"	18"	613-208
1/2"	22"	24"	613-212
9/16"	4"	6"	613-216
9/16"	10"	12"	613-220
9/16"	16"	18"	613-224
5/8"	4"	6"	613-228
5/8"	6"	8"	613-232
5/8"	10"	12"	613-236
5/8"	16"	18"	613-240
5/8"	22"	24"	613-244
11/16"	6"	8"	613-248
3/4"	6"	8"	613-252
3/4"	10"	12"	613-256
3/4"	16"	18"	613-260
3/4"	22"	24"	613-264
7/8"	6"	8"	613-268
7/8"	10"	12"	613-272
7/8"	16"	18"	613-276
1"	8"	10"	613-280
1"	16"	18"	613-284

SLOTTEDDRIVESYSTEM
PLUS

CARBIDE TIPPED DRILL BITS

BROCAS PARA CONCRETO-SISTEMA SDS PLUS

HEXAGONAL DESIGN

Same as adjacent SDS Drills but with hexagonal design.



ØD	B	L	Tool No.
5/32"	3"	7"	613-500
3/16"	3"	7"	613-502

Unit Pack: Hanging Hook


ØD	B	L	Tool No.
1/4"	3"	7"	613-506
5/16"	3"	7"	613-510

SLOTTEDDRIVESYSTEM
MAX

CARBIDE TIPPED DRILL BITS

BROCAS PARA CONCRETO-SISTEMA SDS MAX

Rotary hammer bits with 2 flute carbide tipped head for faster drilling of true round holes which produce less vibration for longer life and greater productivity.



ØD	B	L	Tool No.
3/8"	8"	13"	613-400
1/2"	8"	13"	613-404
1/2"	16"	21"	613-408
9/16"	8"	13"	613-412
9/16"	16"	21"	613-416
5/8"	8"	13"	613-420
5/8"	16"	21"	613-424
5/8"	31"	36"	613-428
11/16"	16"	21"	613-432
3/4"	8"	13"	613-436
3/4"	16"	21"	613-440
3/4"	31"	36"	613-444
13/16"	16"	21"	613-448


ØD	B	L	Tool No.
7/8"	8"	13"	613-452
7/8"	16"	21"	613-456
1"	8"	13"	613-460
1"	16"	21"	613-464
1"	31"	36"	613-468
1-1/8"	10"	15"	613-472
1-1/8"	18"	23"	613-476
1-1/4"	10"	15"	613-480
1-1/4"	18"	23"	613-484
1-1/4"	31"	36"	613-488
1-3/8"	18"	23"	613-492
1-1/2"	18"	23"	613-496

Unit Pack: Hanging Hook

MASONRY-HAMMER DRILL

BROCA TALADRO-MARTILLO PARA CONCRETO

- Special carbide tips designed to withstand the impact of hammer drills
- Hardened steel body
- For use with hammer drills or rotary impact drills



Cement Board



Cinder Block



Brick



Impact Drill



Rotary Drill



ØD	L	Per Pk.	Tool No.
1/8"	3"	1	610-102
5/32"	4"	1	610-104
3/16"	4"	1	610-106
7/32"	4"	1	610-107
1/4"	4"	1	610-108
5/16"	4"	1	610-110
3/8"	4"	1	610-112
1/4"	6"	1	610-114
5/16"	6"	1	610-116
3/8"	6"	1	610-118
7/16"	6"	1	610-120
1/2"	6"	1	610-122
9/16"	6"	1	610-126
5/8"	6"	1	610-128
3/4"	6"	1	610-130
7/8"	6"	1	610-132
1/4"	13"	1	610-500
5/16"	13"	1	610-502
3/8"	13"	1	610-506
7/16"	13"	1	610-508
1/2"	13"	1	610-510
9/16"	13"	1	610-512
5/8"	13"	1	610-514
3/4"	13"	1	610-516
7/8"	13"	1	610-518
1"	13"	1	610-520

Unit Pack: Individually Carded


All sizes over 3/8" diameter have a reduced shank of 3/8" diameter.

Unit Pack: Bulk

MULTI-PURPOSE DRILL BITS

BROCA MULTIUSO

This extremely hard tungsten carbide tip is excellent for use in concrete, marble, cast iron, wood, ceramic and plastics.




Cast Iron




Cinder Block




Brick




Wood



Ceramic Tile



Marble



Plastic



Rotary Drill



ØD	Ød	L	Per Pk.	Tool No.
1/8"	1/8"	2-3/8"	3	606-170
5/32"	5/32"	2-15/16"	1	606-172
3/16"	3/16"	3-5/16"	1	606-174
1/4"	1/4"	3-15/16"	1	606-176
9/32"	9/32"	3-15/16"	1	606-178
5/16"	5/16"	4-3/4"	1	606-180
3/8"	3/8"	4-3/4"	1	606-182
7/16"	3/8"	5-7/8"	1	606-184 *
1/2"	3/8"	5-7/8"	1	606-186 *
4 piece set 1/8, 3/16, 1/4, 5/16			1 of each	606-190

▲ **Warning:** Not recommended for use on angle iron, stainless steel, galvanized pipe and soft metals (ie: aluminum, brass, copper).


*These bits have a reduced shank.

Unit Pack: Individually Carded

COBALT DRILL BITS

BROCAS CON RECUBRIMIENTO DE COBALTO


- Heat resistance treated
- Designed for drilling in extremely hard and abrasive materials like cast iron, titanium and stainless steel



Cast Iron




Titanium



Stainless Steel



Rotary Drill



ØD	Ød	L	Per Pk.	Tool No.
1/32"	1/32"	1-3/8"	10	611-200
3/64"	3/64"	1-3/4"	10	611-202
1/16"	1/16"	1-7/8"	10	611-204
5/64"	5/64"	2"	10	611-206
3/32"	3/32"	2-1/4"	10	611-208
7/64"	7/64"	2-5/8"	10	611-210
1/8"	1/8"	2-3/4"	10	611-212
9/64"	9/64"	2-7/8"	10	611-214
5/32"	5/32"	3-1/8"	10	611-216
3/16"	3/16"	3-1/2"	10	611-218
7/32"	7/32"	3-3/4"	10	611-219
1/4"	1/4"	4"	10	611-220
5/16"	5/16"	4-1/2"	5	611-222
3/8"	3/8"	5"	5	611-224
7/16"	7/16"	5-1/2"	5	611-226
1/2"	1/2"	6"	5	611-228
9/16"	9/16"	6-3/4"	5	611-230

Unit Pack: Bulk 10 / Empaque Al Granel - 10pzs

Unit Pack: Bulk 5 / Empaque Al Granel - 5pzs

HIGH-SPEED STEEL DRILL SETS

BROCA DE ACERO DE ALTA VELOCIDAD

- Precision ground for drilling wood, plastic and metal
- 135° split point designed for easy starting
- Drills faster than regular high-speed steel drills
- Black oxide finish



Description	Tool No.
7 Pc Set (1/16", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4")	630-310
10 Pc Set (1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4")	630-312
13 Pc Set (1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 11/64", 3/16", 13/64", 7/32", 15/64", 1/4")	630-314

Unit Pack: Individually Carded


HIGH-SPEED STEEL DRILL

BROCA DE ACERO DE ALTA VELOCIDAD

- Precision ground for drilling wood, plastic and metal
- 135° split point designed for easy starting
- Drills faster than regular high-speed steel drills
- Black oxide finish



Wood



Metals



Impact Drill



PVC



Non-Ferrous



ØD	L	Per Pk.	Tool No.	ØD	L	Per Pk.	Tool No.
1/32"	1-3/8"	3	611-100	9/32"	4-1/4"	1	611-132
3/64"	1-3/4"	3	611-102	19/64"	4-3/8"	1	611-134
1/16"	1-7/8"	3	611-104	5/16"	4-1/2"	1	611-136
5/64"	2"	3	611-106	21/64"	4-5/8"	1	611-138
3/32"	2-1/4"	3	611-108	11/32"	4-3/4"	1	611-140
7/64"	2-5/8"	3	611-110	23/64"	4-7/8"	1	611-142
1/8"	2-3/4"	3	611-112	3/8"	15"	1	611-144
9/64"	2-7/8"	1	611-114	25/64"	5-1/8"	1	611-146
5/32"	3-1/8"	1	611-116	13/32"	5-1/4"	1	611-148
11/64"	3-1/4"	1	611-118	27/64"	5-3/8"	1	611-150
3/16"	3-1/2"	1	611-120	7/16"	5-1/2"	1	611-152
13/64"	3-5/8"	1	611-122	29/64"	5-5/8"	1	611-154
7/32"	3-3/4"	1	611-124	15/32"	5-3/4"	1	611-156
15/64"	3-7/8"	1	611-126	1/2"	6"	1	611-162
1/4"	4"	1	611-128	9/16"	6-5/8"	1	611-168
17/64"	4-1/8"	1	611-130				

Unit Pack: Individually Carded
Empaque Blister

ØD	Per Pk.	Tool No.	ØD	Per Pk.	Tool No.
1/32"	10	611-500	9/32"	10	611-532
3/64"	10	611-502	19/64"	5	611-534
1/16"	10	611-504	5/16"	5	611-536
5/64"	10	611-506	21/64"	5	611-538
3/32"	10	611-508	11/32"	5	611-540
7/64"	10	611-510	23/64"	5	611-542
1/8"	10	611-512	3/8"	5	611-544
9/64"	10	611-514	25/64"	5	611-546
5/32"	10	611-516	13/32"	5	611-548
11/64"	10	611-518	7/16"	5	611-552
3/16"	10	611-520	29/64"	5	611-554
13/64"	10	611-522	15/32"	5	611-556
7/32"	10	611-524	31/64"	5	611-558
15/64"	10	611-526	1/2"	5	611-562
1/4"	10	611-528	9/16"	5	611-568
17/64"	10	611-530			

NOTE: All sizes over 3/8" diameter have a reduced shank of 3/8" diameter

Unit Pack: Bulk 10 / Empaque Al Granel - 10pzs

Unit Pack: Bulk 5 / Empaque Al Granel - 5pzs


TITANIUM NITRIDE COATED DRILL BITS

BROCAS CON RECUBRIMIENTO DE TITANIO

- Precision ground for drilling in wood, metals, PVC and non-ferrous
- 135° split point designed for easy starting
- Coating provides added protection from heat build-up
- 6X's longer tool life than HSS




Wood



Metals



PVC



Non-Ferrous



Impact Drill



Rotary Drill



ØD	L	Per Pk.	Tool No.	ØD	L	Per Pk.	Tool No.
1/32"	1-3/8"	3	616-100	19/64"	4-3/8"	1	616-134
3/64"	1-3/4"	3	616-102	5/16"	4-1/2"	1	616-136
1/16"	1-7/8"	3	616-104	11/32"	4-3/4"	1	616-140
5/64"	2"	3	616-106	23/64"	4-7/8"	1	616-142
3/32"	2-1/4"	3	616-108	3/8"	5"	1	616-144
7/64"	2-5/8"	3	616-110	25/64"	5-1/8"	1	616-146
1/8"	2-3/4"	3	616-112	13/32"	5-1/4"	1	616-148
9/64"	2-7/8"	1	616-114	27/64"	5-3/8"	1	616-150
5/32"	3-1/8"	1	616-116	7/16"	5-1/2"	1	616-152
11/64"	3-1/4"	1	616-118	15/32"	5-3/4"	1	616-156
3/16"	3-1/2"	1	616-120	1/2"	6"	1	616-162
13/64"	3-5/8"	1	616-122	9/16"	6-5/8"	1	616-168
7/32"	3-3/4"	1	616-124	3/32"	2-1/4"	10*	616-109
15/64"	3-7/8"	1	616-126	7/64"	2-5/8"	10*	616-111
1/4"	4"	1	616-128	1/8"	2-3/4"	10*	616-113
17/64"	4-1/8"	1	616-130	3/16"	3-1/2"	10*	616-121
9/32"	4-1/4"	1	616-132				

NOTE: All sizes over 3/8" diameter have a reduced shank of 3/8" diameter

Unit Pack: Individually Carded

*Unit Pack: Bulk 10 pcs

BRAD POINT DRILL

BROCA DE PUNTILLA PARA MADERA



Brad Point drill bits are the bits of choice for precision work in wood. They overcome the tendency to walk at the start of a hole and prevent tearout at the perimeter of the hole. The bits are made from high speed steel. They are fully ground and polished to give superior chip clearance.

We carry an extensive line of individual sizes ranging from 1/16" to 1". Our 7 piece set (606-200) is available with 7 of the most popular sizes 1/8", 3/16", 1/4", 5/16", 3/8", 7/16", 1/2".



Wood



Rotary Drill



606-200

7pc. Brad Point Drill Bit Set



ØD	Ød	L	Tool No.
1/16"	1/16"	1-7/8"	606-100 *
5/64"	5/64"	2"	606-102 *
3/32"	3/32"	2-1/4"	606-104 *
7/64"	7/64"	2-5/8"	606-106 *
1/8"	1/8"	2-3/4"	606-108 *
9/64"	9/64"	2-7/8"	606-110 *
5/32"	5/32"	3-1/8"	606-112
11/64"	11/64"	3-1/4"	606-114
3/16"	3/16"	3-1/2"	606-116
5mm	5mm	3-5/16"	606-117
13/64"	13/64"	3-5/8"	606-118
7/32"	7/32"	3-3/4"	606-120
6mm	6mm	3-9/16"	606-123
1/4"	1/4"	4"	606-124
17/64"	17/64"	4-1/8"	606-126
19/64"	19/64"	4-3/8"	606-130
5/16"	5/16"	4-1/2"	606-132
8mm	8mm	4-7/16"	606-133
21/64"	21/64"	4-5/8"	606-134
11/32"	11/32"	4-3/4"	606-136
3/8"	3/8"	5"	606-140
25/64"	3/8"	5-1/8"	606-142
10mm	10mm	6-1/2"	606-143
7/16"	3/8"	5-1/2"	606-148
1/2"	3/8"	6"	606-156
15mm	1/2"	6-5/8"	606-157
5/8"	1/2"	6-5/8"	606-158
3/4"	1/2"	7-3/4"	606-160
7/8"	1/2"	8-1/4"	606-162
1"	1/2"	8-3/4"	606-164
7pc. Brad Point Drill Set in Metal Box			606-200


* Not Brad Point

Unit Pack: Individually Carded

BI-METAL HOLE SAW

SIERRA COPA BI-METALICA

- Precision-sharpened teeth for smooth, fast cuts
- Cuts clean holes in wood, plastic, metal & gypsum boards
- Lasts up to 5 times longer than carbon steel hole saws
- Ideal for carpenters, electricians and plumbers




Metals



Wood



PVC



Plastic



Drill Press



Rotary Drill



Cuts smooth, clean holes in metals.

Diameter		Cutting Depth		Mandrel	Tool No.
Inch	mm	Inch	mm		
5/8"	16mm	2-1/8"	54mm	602-330, 602-334, 602-336	602-100
11/16"	17mm	2"	51mm	602-330, 602-334, 602-336	602-102
3/4"	19mm	2"	51mm	602-330, 602-334, 602-336	602-104
13/16"	21mm	2"	51mm	602-330, 602-334, 602-336	602-106
7/8"	22mm	2"	51mm	602-330, 602-334, 602-336	602-108
15/16"	24mm	2"	51mm	602-330, 602-334, 602-336	602-110
1"	25mm	2"	51mm	602-330, 602-334, 602-336	602-112
1-1/16"	27mm	2"	51mm	602-330, 602-334, 602-336	602-114
1-1/8"	29mm	2"	51mm	602-330, 602-334, 602-336	602-116
1-3/16"	30mm	2"	51mm	602-330, 602-334, 602-336	602-118
1-1/4"	32mm	2"	51mm	602-332, 602-338	602-120
1-5/16"	33mm	2"	51mm	602-332, 602-338	602-122
1-3/8"	35mm	2"	51mm	602-332, 602-338	602-124
1-7/16"	37mm	1-3/4"	44mm	602-332, 602-338	602-126
1-1/2"	38mm	1-3/4"	44mm	602-332, 602-338	602-128
1-9/16"	40mm	1-3/4"	44mm	602-332, 602-338	602-130
1-5/8"	41mm	1-3/4"	44mm	602-332, 602-338	602-132
1-11/16"	43mm	1-3/4"	44mm	602-332, 602-338	602-134
1-3/4"	44mm	1-3/4"	44mm	602-332, 602-338	602-136
1-7/8"	48mm	1-3/4"	44mm	602-332, 602-338	602-138
2"	51mm	1-3/4"	44mm	602-332, 602-338	602-140
2-1/16"	52mm	1-3/4"	44mm	602-332, 602-338	602-142
2-1/8"	54mm	1-3/4"	44mm	602-332, 602-338	602-144
2-1/4"	57mm	1-3/4"	44mm	602-332, 602-338	602-146
2-5/16"	59mm	1-3/4"	44mm	602-332, 602-338	602-148
2-3/8"	60mm	1-3/4"	44mm	602-332, 602-338	602-150
2-1/2"	64mm	1-3/4"	44mm	602-332, 602-338	602-152
2-9/16"	65mm	1-3/4"	44mm	602-332, 602-338	602-154
2-5/8"	67mm	1-3/4"	44mm	602-332, 602-338	602-156
2-3/4"	70mm	1-3/4"	44mm	602-332, 602-338	602-158
2-7/8"	73mm	1-3/4"	44mm	602-332, 602-338	602-160
3"	76mm	1-3/4"	44mm	602-332, 602-338	602-162
3-1/8"	79mm	1-3/4"	44mm	602-332, 602-338	602-164
3-1/4"	83mm	1-3/4"	44mm	602-332, 602-338	602-166
3-3/8"	86mm	1-3/4"	44mm	602-332, 602-338	602-168
3-1/2"	89mm	1-3/4"	44mm	602-332, 602-338	602-170
3-5/8"	92mm	1-3/4"	44mm	602-332, 602-338	602-172
3-3/4"	95mm	1-3/4"	44mm	602-332, 602-338	602-174
4"	102mm	1-3/4"	44mm	602-332, 602-338	602-178
4-1/8"	105mm	1-3/4"	44mm	602-332, 602-338	602-180
4-1/2"	114mm	1-3/4"	44mm	602-332, 602-338	602-182
6"	152mm	1-3/4"	44mm	602-332, 602-338	602-188



Excellent for wood & other materials.



BI-METAL HOLE SAW MANDRELS

MANDRIL PARA SIERRA COPA

- To be used in conjunction with our bi-metal hole saws
- 1/4" high speed steel pilot drill included



Shank Size	Fits Hole Saw Size	Drill Size	Tool No.
3/8" Hex	9/16" - 1-3/16"	3/8"	602-330
7/16" Hex	1-1/4" - 6"	1/2"	602-332
1/4" Round	9/16" - 1-3/16"	1/4"	602-334
7/16" Hex	9/16" - 1-3/16"	1/2"	602-336
3/8" Hex	1-1/4" - 6"	3/8"	602-338

Unit Pack: Individually Carded

Replacement Pilot Drills:


Broca Guia Para Mandril:

Tool No.	Size	Fits Madrel
602-200	1/4" x 4"	602-334
602-202	1/4" x 3"	602-330, 602-332, 602-336, 602-338

DOWEL CENTER SET

JUEGO DE PUNTAS METALICAS PARA CENTRAR CLAVIJAS

8 piece metal dowel centers for lining up dowels accurately.



Description	Tool No.
8 pc. set: (2)1/4", (2)5/16", (2)3/8", (2)1/2"	608-104

Unit Pack: Individually Carded

TITANIUM COATED STEP DRILL

BROCA ESCALONADA CON RECUBRIMIENTO DE TITANIO

Excellent for cutting in copper, brass, aluminum, metal, sheet metal, plastics, wood and wood veneers up to 1/8" thick.



Metals

Wood

Brass

Plastic



Rotary Drill



ØD	Increments	Step Depth	Ød	Tool No.
1/8" - 1/2"	1/32"	1/8"	1/4"	608-780
3/16" - 7/8"	1/16"	1/8"	1/4"	608-782
9/16" - 1"	1/8"	1/8"	3/8"	608-784

Unit Pack: Individually Carded

7 PC. SPLIT RING DEPTH STOP SET

JUEGO 7 PZS. ANILLOS DE TOPE



Drill bits not included.


Description	Tool No.
7 pc. set: 1/8", 3/16", 1/4", 5/16", 3/8", 7/16" & 1/2"	4020

Hex wrench included.

Unit Pack: Individually Carded

QUICK RELEASE DRILL SYSTEM SISTEMA DE CAMBIO RAPIDO PARA TALADRO

All Quick Release accessories have **1/4" hex shank** for "Quick Release" type chucks.



QUICK RELEASE KEYLESS CHUCK

MANDRIL/BROQUERO SIN LLAVE

1/4" Hex Shank

Features a quick-release mechanism that makes tool changes simple and fast. Works with our countersink and drill bit accessories or any 1/4" hex power bit.

Solid steel construction, knurled locking collar and no-slip 3/8" Hex Shank to fit in any drill, cordless drill or drill press with 3/8" or larger chuck or keyless chuck.



ØD	Ød	Tool No.
1/4"	3/8"	608-100

Unit Pack: Individual Clamshell

DRILL ADAPTERS WITH DRILL BITS

ADAPTADOR CAMBIO RAPIDO CON BROCA

Includes HSS twist drill bit. You can also use these adapters with brad point, tapered, split point and any other type of drill bit.



ØD	L	Repl. Drill Bit	Tool No.
5/64"	3-3/4"	630-001	608-200
3/32"	3-3/4"	630-002	608-202
7/64"	3-3/4"	630-098	608-204
9/64"	3-3/4"	630-802	608-208
11/64"	3-3/4"	630-302	608-212
3/16"	3-3/4"	630-402	608-214
7/32"	4"	630-502	608-216
15/64"	4"	630-602	608-218
1/4"	4"	630-702	608-220

Unit Pack: Individually Carded

DRILL ADAPTERS W/TAPER POINT DRILLS

ADAPTADOR CAMBIO RAPIDO CON BROCA ESCALONADA

1/4" Hex Shank with Quick Change Adapter • HSS (M2) Drill



ØD mm	ØD Inch	L	Repl. Drill Bit	Tool No.
2.0mm	5/64"	3"	630-260	608-260
2.4mm	3/32"	3-9/32"	630-262	608-262
2.8mm	7/64"	3-9/32"	630-264	608-264
3.2mm	1/8"	3-3/8"	630-266	608-266
3.6mm	9/64"	3-7/16"	630-268	608-268
4.0mm	5/32"	3-7/16"	630-270	608-270
4.4mm	11/64"	4"	630-272	608-272
4.8mm	3/16"	4-9/32"	630-274	608-274
5.6mm	7/32"	5"	630-276	608-276
6.3mm	1/4"	5-5/16"	630-278	608-278


Unit Pack: Individually Carded

RTA FURNITURE DRILLS/COUNTERSINKS

AVELLANADOR CAMBIO RAPIDO CON BROCA PARA TORNILLOS DE MUEBLES

1/4" Hex Shank

RTA furniture step drill bit creates steps for the "Conformat" style furniture screw. Used for drilling pilot hole, clearance hole and countersinking.



ØD Drill Size	ØD1 RTA Screw Size	ØD2 Countersink Dia.	Tool No.
3.5mm	5.0mm	7.0mm	608-150
5.0mm	7.0mm	10.0mm	608-152

Replacement 3.5mm HSS slow spiral drill bit, 2-3/4" long, #55104.
Replacement 5.0mm HSS slow spiral drill bit, 3-7/16" long, #55105.
Replacement #10-24 set screw, #67092 (requires #5000 3/32" hex key).


Unit Pack: Individually Carded

CARBIDE TIPPED COUNTERSINKS

AVELLANADOR CON PUNTAS DE CARBURO (INCLUYE BROCA)

1/4" Hex Shank

Drill pilot hole and tapered countersink for wood screws. Carbide tipped for long lasting results in hardwood, plywood, plastic, etc.



ØD	*Wood Screw Size	ØD1 Countersink Dia.	Tool No.
5/64"	#4	3/8"	608-110
3/32"	#6	3/8"	608-112
7/64"	#8	3/8"	608-114
1/8"	#10	3/8"	608-116
9/64"	#12	1/2"	608-118
5/32"	#12 & #14	3/8"	608-119

*Recommended wood screw sizes represent general purpose applications. Harder or softer materials may require different size pilot holes.


Unit Pack: Individually Carded

DEPTH STOPS FOR COUNTERSINKS

ANILLOS DE TOPES

1/4" Hex Shank

Adjustable to control the depth of countersinks listed in above table.



Countersink not included.

Fits the Following Countersinks

608-110, 608-112, 608-114, 608-116

608-118

Tool No.

608-120

608-122

Unit Pack: Individually Carded

CARBIDE TIPPED COUNTERBORES

AVELLANADOR CON PUNTAS DE CARBURO (INCLUYE BROCA)

1/4" Hex Shank

Flat bottom counterbores for using round head screws, hex bolts, etc. Includes pilot drill.



ØD	ØD1 Counterbore Dia.	Tool No.
5/32"	3/8"	608-130
3/16"	3/8"	608-132
3/16"	1/2"	608-134
1/4"	1/2"	608-136
1/4"	5/8"	608-138

Unit Pack: Individually Carded

3 PIECE MAGNETIC BIT HOLDER SET

JUEGO 3 PZAS ADAPTADORES MAGNETICOS

1/4" Hex Shank



3-Pc Set Includes 2-1/4", 3" and 4"

608-500, 608-502 and 608-504

Tool No.

608-508

Unit Pack: Individually Carded

Items Also Sold Individually - See Page 61

HSS COUNTERSINKS

AVELLANADOR DE ACERO ALTA VELOCIDAD (INCLUYE BROCA)

1/4" Hex Shank

Individual HSS countersinks designed for screw sizes #4-12.




Screw Size #	ØD	Tool No.	Replacement Drill Bits Description	Tool No.
4-5	5/64"	608-140	HSS bit for 608-140	630-001
6-7	3/32"	608-142	HSS bit for 608-142	630-002
8-9	7/64"	608-144	HSS bit for 608-144	630-098
10	1/8"	608-146	HSS bit for 608-146	630-102
12	9/64"	608-148	HSS bit for 608-148	630-802

PLUG CUTTERS

CORTADOR DE TAPONES PARA MADERA

1/4" Hex Shank

Self-ejecting style for making your own wood plugs. 3/8" size is #4 through #10 screws and 1/2" is for #12 screws.



ØD	Tool No.
1/4"	608-251
3/8"	608-250
1/2"	608-254
5/8"	608-256
4 Pc. Set 1/4", 3/8", 1/2", 5/8"	608-258

Unit Pack: Individually Carded

82° HSS COUNTERSINKS

AVELLANADOR HSS M2-82 GRADOS

1/4" Hex Shank

5 Flute

Precision Ground

M2 High Speed Steel (HSS)



ØD	d	Tool No.
1/4"	1/4"	608-760
5/16"	1/4"	608-761
3/8"	1/4"	608-762
1/2"	1/4"	608-763
5/8"	1/4"	608-764
3/4"	1/4"	608-765

Unit Pack: Individually Carded

TITANIUM COATED 82° HSS COUNTERSINKS

AVELLANADOR HSS M2-82 GRADOS CON RECUBRIMIENTO DE TITANIO

1/4" Hex Shank

5 Flute

Precision Ground

M2 High Speed Steel (HSS)



ØD	d	Tool No.
1/4"	1/4"	608-750
5/16"	1/4"	608-751
3/8"	1/4"	608-752
1/2"	1/4"	608-753
3/4"	1/4"	608-755

Unit Pack: Individually Carded

SELF CENTERING DRILL BIT GUIDES

GUIA AUTOCENTRADA CON BROCA PARA COLOCACION DE TORNILLO P/BISAGRA

1/4" Hex Shank

Create accurate screw holes when installing new hinges to a door. Spring-loaded end for locating hinge screw holes, includes HSS twist drill bit. Bright plated finish.



Drill Size	Screw #	Replacement Drill Bit	Tool No.
5/64"	6	630-520	608-520
7/64"	8	630-522	608-522
9/64"	10	630-524	608-524
11/64"	12	630-526	608-526
5mm	14	630-528	608-528

Unit Pack: Individually Carded

CARBIDE TIPPED GLASS & TILE DRILLS

BROCAS CON PUNTAS DE CARBURO PARA VIDRIO, AZULESO, LOZA Y PORCELANA

1/4" Hex Shank

With the unique spear-point tungsten carbide tip, these bits will cut a perfectly round hole without chipping or breaking. For drilling glass and ceramic tile.



ØD mm	ØD Inch	d	L	Max RPM	Tool No.
3mm	1/8"	1/4"	2-1/4"	1,000	608-290
4mm	5/32"	1/4"	2-1/4"	1,000	608-292
5mm	3/16"	1/4"	2-9/16"	600	608-294
6mm	1/4"	1/4"	2-7/8"	600	608-296
8mm	5/16"	1/4"	3-1/8"	500	608-298
10mm	3/8"	1/4"	3-3/4"	500	608-300
12mm	1/2"	1/4"	3-3/4"	320	608-302
4 Pc. Set 1/8", 3/16", 1/4", 5/16"					608-304


Unit Pack: Individually Carded

SOCKET ADAPTERS

ADAPTADOR PARA DADOS

1/4" Hex Shank

Converts your drill into a power nut setter.



ØD	L	Tool No.
1/4"	2-3/8"	608-550
3/8"	2-3/8"	608-552
1/2"	2-3/8"	608-554

Unit Pack: Individually Carded



FACE FRAME COUNTERBORE

SISTEMA CON PUNTA DE CARBURO PARA ENSAMBLE DE MARCOS (INCLUYE BROCA)


1/4" Hex Shank

Carbide tipped with High Speed Steel drill. Used for making "pocket holes".



ØD	ØD1	L	Description	Tool No.
3/8"	.136"	4"	Counter Bore #1	608-160
.136"	.136"	3"	#29 HSS Fishtail Drill Bit	608-162

Unit Pack: Plastic Hanging Tube



SPADE BITS WITH SPURS • 6" LONG

BROCA PLANA PARA PERFORACION EN MADERAS

1/4" Hex Shank

Precision ground and hardened steel spade bits for general purpose drilling of hard & softwood and wood by-products.



Minimum purchase quantity of 5 pieces.


ØD	Length	Tool No.
1/4"	6"	608-398
5/16"	6"	608-399
3/8"	6"	608-400
7/16"	6"	608-402
1/2"	6"	608-410
9/16"	6"	608-412
5/8"	6"	608-420
11/16"	6"	608-422
3/4"	6"	608-430
13/16"	6"	608-432
7/8"	6"	608-440
15/16"	6"	608-442
1"	6"	608-450
1-1/8"	6"	608-460
1-1/4"	6"	608-470
1-3/8"	6"	608-480
1-1/2"	6"	608-490

Unit Pack: Individual Vinyl Pouch

SPADE BITS WITH SPURS • 16" LONG

BROCA PLANA PARA PERFORACION EN MADERAS

1/4" Hex Shank



ØD	Length	Tool No.
3/8"	16"	604-880
1/2"	16"	604-890
5/8"	16"	604-900
3/4"	16"	604-910
7/8"	16"	604-920
1"	16"	604-930

Unit Pack: Individual Vinyl Pouch

CEILING TILE HANGER

ADAPTADOR PARA TORNILLOS DE TECHOS SUSPENDIDOS

1/4" Hex Shank

Unique tool for fastening special screws used in the installation of hanging ceiling grids.



ØD

1/4"

5/16"

Unit Pack: Individually Carded

Tool No.

608-556


608-558

MAGNETIC BIT HOLDER

ADAPTADOR RETRACTIL MAGNETICO PARA PUNTAS

1/4" Hex Shank

Accommodates all 1/4" hex insert bits for all driver/drills.



L

2-1/4"

3"

4"

3 Piece Set (includes 2-1/4", 3" and 4")

Unit Pack: Individually Carded

Tool No.

608-500

608-502

608-504

608-508

MAGNETIC DRIVE GUIDE

ADAPTADOR RETRACTIL MAGNETICO

1/4" Hex Shank

Retracting screw holder for driving screws. 1/4" hex head fits all power driving bit tips. Carded.



L

80mm

120mm

Unit Pack: Individually Carded

Tool No.

608-510


608-512



TITANIUM COATED HSS DRILL SAW

BROCA HSS CON RECUBRIMIENTO DE TITANIO

High speed steel titanium coated all purpose drill saw. For use on wood and plywood 1/4" diameter hex head shank with 1-1/2" cut length. Handy for enlarging existing holes or cutting irregular shapes or contours.




ØD	B	L	Tool No.
1/4"	1-1/2"	4-1/4"	608-102

MAGNETIC NUT SETTERS

ADAPTADOR MAGNÉTICO TUERCAS

1/4" Hex Shank

Universal 1/4" shank fits all drills and drivers. Used for power driving hex head screws, bolts and nuts.



ØD	L	Packed	Tool No.
1/4"	1-7/8"	1 per card	608-560
1/4"	2-9/16"	1 per card	608-562
5/16"	1-7/8"	1 per card	608-564
5/16"	2-9/16"	1 per card	608-566
3/8"	1-7/8"	1 per card	608-568
3/8"	2-9/16"	1 per card	608-570
7/16"	1-7/8"	1 per card	608-572
7/16"	2-9/16"	1 per card	608-574
1/2"	1-7/8"	1 per card	608-576
1/2"	2-9/16"	1 per card	608-578

ØD	L	Jar Packed	Tool No.
1/4"	2-9/16"	50 piece jar	608-563
5/16"	2-9/16"	50 piece jar	608-567
3/8"	2-9/16"	50 piece jar	608-571

QUICK RELEASE EXTENSIONS

EXTENSION PARA BROCA PLANA - CAMBIO RAPIDO

1/4" Hex Shank




ØD	L	Tool No.
1/4"	6"	604-932
1/4"	12"	604-934

Unit Pack: Individually Carded

SLOTTED SCREW BIT TIPS

PUNTA PLANA

1/4" Hex Shank




ØD Screw Size	L	Tool No.
#6	1"	608-610
#8	1"	608-612
#10	1"	608-614
#12	1"	608-616
#6	2"	608-640
#8	2"	608-642
#10	2"	608-644
#12	2"	608-646

Unit Pack: 5 pieces per card / Empaque Blister - 5pzs.

SQUARE BIT TIPS

PUNTA CUADRADA

1/4" Hex Shank




ØD Screw Size	L	Tool No.
#1	1"	608-620
#2	1"	608-622
#1	2"	608-650
#2	2"	608-652
#3	2"	608-654

Unit Pack: 5 pieces per card / Empaque Blister - 5pzs.

SQUARE BIT TIPS

PUNTA CUADRADA

1/4" Hex Shank




ØD Screw Size	L	Pcs. Per Jar	Tool No.
#2	2"	150	608-623

Unit Pack: Bulk / Empaque Al Granel

PHILLIPS SCREW BIT TIPS

PUNTA PHILLIPS

1/4" Hex Shank




ØD Screw Size	L	Tool No.
#0	1"	608-600
#1	1"	608-602
#1	2"	608-630
#2	1"	608-604
#2	2"	608-632
#2	3"	608-605
#2	4"	608-608
#2	6"	608-609
#3	1"	608-606
#3	2"	608-634

Unit Pack: 5 pieces per card / Empaque Blister - 5pzs.

MAGNETIC PHILLIPS SCREW BIT TIPS

PUNTA MAGNETICA PHILLIPS




ØD Screw Size	L	Packed	Tool No.
#2	1"	5 pieces per card	608-904
#2	2"	5 pieces per card	608-932

Unit Pack: 5 pieces per card / Empaque Blister - 5pzs.

25 PIECE PHILLIPS SCREW BIT TIPS

PUNTA PHILLIPS

1/4" Hex Shank



ØD Screw Size	L	Tool No.
#2	1"	608-691
#2	2"	608-639

Unit: 25 pieces per bag with hanging card / Empaque Bolsita - 25pzs. Unit

31 PIECE PHILLIPS DRIVER BIT SET

PUNTA PHILLIPS

1/4" Hex Shank

Includes quick release Phillips screw bit tips with magnetic drive guide holder. For #2 screw size.




Description	Tool No.
30 Phillips Screw Bit Tips, 1" Long for #2 Screw Size	4033

PHILLIPS SCREW BIT TIPS

PUNTA PHILLIPS

1/4" Hex Shank



ØD Screw Size	L	Pcs. Per Jar	Tool No.
#2	6"	50	608-636
#2	4"	100	608-635
#2	2"	150	608-633
#3	2"	150	608-637
#2	1"	250	608-690



Unit Pack: Bulk / Empaque Al Granel

DRYWALL BIT TIPS

PUNTA PARA TABLA DE YESO

1/4" Hex Shank

Longer life with increased durability. Reinforced tip for longer life than a standard bit.



ØD Screw Size	L	Packed	Tool No.
#2	1"	5 pieces per card	608-800

Unit Pack: 5 pieces per card / Empaque Blister - 5pzs.

TITANIUM NITRIDE COATED DRYWALL BIT TIPS

PUNTA PARA TABLA DE YESO CON RECUBRIMIENTO DE TITANIO

1/4" Hex Shank

Bits coated with titanium reduce slippage and adds more gripping power to protect the tip.



ØD Screw Size	L	Packed	Tool No.
#2	1"	5 pieces per card	608-802
#2	1"	Bulk packed 250 pcs.	608-803


Unit Pack: 5 pieces per card and bulk / Empaque Al Granel Y 5pzs.

ADJUSTABLE DRYWALL SCREW SETTER

FIJADOR AJUSTABLE PARA TABLA DE YESO

1/4" Hex Shank

Select the depth of your screw height where you want it in drywall, plywood or particle board. Phillips #2 bit tip included.



Description

Drywall screw setter for #2 Phillips screws

Tool No.



4019

Unit Pack: Individually Carded

HEX BIT TIPS

PUNTA HEXAGONAL

1/4" Hex Shank





ØD	L	Tool No.
1/16"	1"	608-660
3/32"	1"	608-662
1/8"	1"	608-664

Unit Pack: 5 pieces per card / Empaque Blister - 5pzs.

POZIDRIVE® INSERT BITS

PUNTA POZIDRIVE®

1/4" Hex Shank



ØD Screw Size	L	Tool No.
#1	1"	608-670
#1	2"	608-671
#1	3"	608-672
#2	1"	608-673
#2	2"	608-674
#2	3"	608-675
#3	1"	608-676
#3	2"	608-677
#3	3"	608-678


Pozidrive® is a registered trademark of Camcar Division of Textron, Inc.

Unit Pack: 5 pieces per card / Empaque Blister - 5pzs.

DRYWALL SCREW SETTER

FIJADOR DE TORNILLOS PARA TABLA DE YESO

Sets your #2 Phillips screw head at a depth just below the plane of your drywall, plywood or particle board.



Description

Economy drywall screw setter for #2 Phillips screws

Tool No.



4018

Unit Pack: Individually Carded

TORX® INSERT BITS

PUNTA TORX®

1/4" Hex Shank



ØD Screw Size	L	Tool No.
T6	1"	608-700
T7	1"	608-701
T8	1"	608-702
T9	1"	608-703
T10	1"	608-704
T15	1"	608-705
T20	1"	608-706
T25	1"	608-707
T27	1"	608-708
T30	1"	608-709
T40	1"	608-710
T6	2"	608-711
T7	2"	608-712
T8	2"	608-713
T9	2"	608-714
T15	2"	608-716
T20	2"	608-717
T25	2"	608-718
T27	2"	608-719
T30	2"	608-720
T40	2"	608-721

Torx® is a registered trademark of Camcar Division of Textron, Inc.

Unit Pack: 5 pieces per card / Empaque Blister - 5pzs.

BROKEN SCREW REMOVER

EXTRACTOR DE TORNILLOS DAÑADOS


1/4" Hex Shank

Designed to remove #6 to #14 screws with Phillips, Square or Slotted heads.

This tool allows you to drill out the damaged screw quickly, by inserting the bit into your drill. Firmly, hold the tip against the damaged screw head and reverse it out. The extremely sharp edges bite into the damaged screw head & work the screw out.

Requires reversible drill.

Not recommended for deck screws.



Screw Size

#6 - #8

#8 - #10

#10 - #14

Tool No.

608-731

608-732

608-733

3 Piece set (in a plastic case) includes one of each size

608-736



Unit Pack: Individually Carded

11 PC. DRILL & DRIVE COUNTERSINK SET

JUEGO-11 PZS. AVELLANADORES C/BROCAS Y PUNTAS PARA DESTORNILLADORAS

This set includes 4 tool-steel countersinks designed for No. 6, 8, 10, 12 screws and 3/32", 7/64", 1/8" and 9/64" drill bits.

Also included are 3 phillips screw tips (No. 0, 1, 2), 2 slotted screw tips and a quick release chuck*.



Description

11 piece set with case

Tool No.

608-530

Unit Pack: Individually Carded

*This quick release chuck is not sold separately - only as part of a set

E-Z QUICK CHANGE BIT SET & CASE

JUEGO-10 PZS. MANDRIL Y PUNTAS PARA DESTORNILLADOR

This craftsmans' clip-on case includes 9 of the most popular screw tips: phillips No. 0, 1, 2; hex 1/16", 3/32", 1/8" slotted No. 6, 8, 10 and a quick release chuck*. Ideal for cabinet makers, contractors and DIY.



Description

11 piece set with case

Tool No.

608-532

Unit Pack: Individually Carded

*This quick release chuck is not sold separately - only as part of a set

5 PC. QUICK RELEASE COUNTERSINK SET

JUEGO-5 PZS. AVELLANADOR CON BROCA CAMBIO RAPIDO

Use this item for fast, keyless tool changes. Set includes five individual 82° countersinks and 2" long twist drill bits for #4 through #12 wood screws. Hardened tool steel with black oxide finish. Made in U.S.A.



Description

5 pc. set includes 5/64", 3/32", 7/64", 1/8" & 9/64" drills

Tool No.

TDS-500



Unit Pack: Clamshell

HINGE BORING (EUROPEAN)

BROCA PARA BISAGRAS CON PUNTA DE CARBURO

57mm long • 10mm shank • 2 Wing with spurs • Carbide tipped

For European style concealed hinges. Includes side cutting "spurs" for fast, clean boring. Economically priced.



ØD	d	L	Tool No.
15mm	10mm	57mm	620-150
18mm	10mm	57mm	620-180
20mm	10mm	57mm	620-200
25mm	10mm	57mm	620-250
26mm	10mm	57mm	620-260
35mm	10mm	57mm	620-350


Unit Pack: Individually Carded

CARBIDE TIPPED BORING

BROCA CON PUNTAS DE CARBURO PARA BISAGRAS EUROPEAS

1/4" Hex Shank

Drill pilot hole and tapered countersink for wood screws. Carbide tipped for long lasting results in hardwood, plywood, plastic, etc.





ØD	L	Tool No.
15mm	55mm	608-170
20mm	55mm	608-172
25mm	55mm	608-174
26mm	55mm	608-176
30mm	55mm	608-178
35mm	55mm	608-180

Unit Pack: Individually Carded

TAPERED WOOD PLUG CUTTERS

CORTADOR CONICO PARA TAPAS DE MADERA

Quality wood cutters for making smooth tapered plugs.



ØD	d	L	Tool No.
1/4"	3/8"	2"	607-300
3/8"	3/8"	2"	607-310
1/2"	3/8"	2"	607-320
5/8"	3/8"	2"	607-330

Unit Pack: Individually Carded

FLAT BOTTOM COUNTERBORES

AVELLANADOR DE FONDO PLANO

Up-shear design • HSS (m2) Drill bits included • Carbide tipped



ØD1							
ØD Drill Dia.		Wood mm	Counterbore Dia. Screw Size		Ød Shank		Tool No.
1/8"	3.2mm	4-6mm	3/8"	9.5mm	5/16"	8.0mm	630-100
5/32"	4.0mm	6-8mm	.394"	10mm	5/16"	8.0mm	630-200
11/64"	4.4mm	8-9mm	.394"	10mm	5/16"	8.0mm	630-300
3/16"	4.8mm	10mm	1/2"	12.7mm	3/8"	9.5mm	630-400
7/32"	5.6mm	12mm	1/2"	12.7mm	3/8"	9.5mm	630-500
15/64"	6.0mm	14mm	1/2"	12.7mm	3/8"	9.5mm	630-600
1/4"	6.3mm	16mm	1/2"	12.7mm	3/8"	9.5mm	630-700

Unit Pack: Individually Carded

Replacement Parts:

Tool No.	Repl. Drill Bit	Tool No.	Repl. Drill Bit
630-100	630-102	630-500	630-502
630-200	630-202	630-600	630-602
630-300	630-302	630-700	630-702
630-400	630-402		

Replacement set screws #67092 (2 required per tool).

STRAIGHT WOOD PLUG CUTTERS

CORTADOR PARA TAPAS DE MADERA

Quality wood cutters for making smooth straight plugs.



ØD	d	L	Tool No.
1/4"	3/8"	2"	607-100
3/8"	3/8"	2"	607-110
1/2"	3/8"	2"	607-120
5/8"	3/8"	2"	607-130

Unit Pack: Individually Carded

8 PC. WOOD PLUG CUTTER SET

JUEGO — 8 PZS. CORTADOR DE TAPAS

Straight and Tapered



8pc. set in wood box Includes both straight & tapered plug cutters


Description	Tool No.
8 pc. Set in Wood Box. Straight & Tapered	607-500

Set includes 1 of ea. straight & tapered plug cutter shown in the previous tables.

CARBIDE TIPPED FORSTNER BITS

BROCA FORSTNER EN CARBURO DE TUNGSTENO

Carbide tipped forstner bits were designed so the rim remains extremely sharp, especially at the leading edge. It is here that the rim stays engaged in the cut so the bit won't drift laterally. This prevents tearout at the beginning of the cut to give a smooth clean cut. The finished hole will show a small center hole at the bottom of the hole. Clamshell packed for hanging display.



ØD	d	L	Tool No.
1/2"	3/8"	3-1/2"	660-100
5/8"	3/8"	3-1/2"	660-110
3/4"	3/8"	3-1/2"	660-120
7/8"	3/8"	3-1/2"	660-130
1"	3/8"	3-1/2"	660-140
1-1/8"	3/8"	3-1/2"	660-150
1-1/4"	3/8"	3-1/2"	660-160
1-3/8"	3/8"	3-1/2"	660-165
35mm	3/8"	3-1/2"	660-170
1-1/2"	3/8"	3-1/2"	660-180
1-5/8"	3/8"	3-1/2"	660-190
1-3/4"	3/8"	3-1/2"	660-200
2"	3/8"	3-1/2"	660-220
2-1/8"	3/8"	3-1/2"	660-230

Unit Pack: Individually Carded


FORSTNER BITS

BROCA FORSTNER

High carbon tool steel. Especially designed to drill flat holes in soft and hardwoods using portable or stationary equipment.

Forstner bits are good at drilling severe angles and for partial angled holes. All off-angled and overlapping holes cut with a forstner bit should be drilled on a drill press.

Finished hole will show a small center hole at the bottom of the hole.



ØD	d	L	Tool No.
1/4"	3/8"	3-1/2"	600-100
3/8"	3/8"	3-1/2"	600-110
1/2"	3/8"	3-1/2"	600-120
5/8"	3/8"	3-1/2"	600-130
3/4"	3/8"	3-1/2"	600-140
7/8"	3/8"	3-1/2"	600-150
1"	3/8"	3-1/2"	600-160
1-1/8"	3/8"	3-1/2"	600-170
1-1/4"	3/8"	3-1/2"	600-180
1-3/8"	3/8"	3-1/2"	600-190
35mm	3/8"	3-1/2"	600-200
1-1/2"	3/8"	3-1/2"	600-210
1-5/8"	3/8"	3-1/2"	600-220
1-3/4"	3/8"	3-1/2"	600-230
2"	3/8"	3-1/2"	600-250
2-1/8"	3/8"	3-1/2"	600-260

Unit Pack: Individually Carded

COIN SIZED HSS FORSTNER BITS

BROCA FORSTNER MEDIDAS ESPECIALES PARA MONEDAS

These high speed steel forstner bits were designed for the precise cutting holes to show off prize coins. Each size has razor sharp spurs for perfect cuts. Due to expansion and contraction of wood, coins should be secured with double face tape.



Diameter	Shank	Length	Size Coin	Tool No.
.764"	3/8"	4"	Penny	601-100
.849"	3/8"	4"	Nickle	601-102
.705"	3/8"	4"	Dime	601-104
1.219"	3/8"	4"	Half Dollar	601-108
1.058"	3/8"	4"	Dollar	601-110
6pc. Set Includes All Sizes, Collar and Depth Control				601-112

SAW TOOTH FORSTNER BIT SET

BROCA DENTADA FORSTNER PARA MADERA

Heavy duty plastic case holds each forstner bit securely for storage and transporting to work sites. All the popular sizes in one convenient case.



670-160
16pc. Hex
Shank Set



Description

16 pieces includes 1/4", 3/8", 1/2", 5/8", 3/4", 7/8", 1", 1-1/8", 1-1/4", 1-3/8", 1-1/2", 1-5/8", 1-3/4", 35mm, 2" & 2-1/8"

Tool No.

670-160

SPADE BITS WITH SPURS

BROCA PLANA PARA PERFORACIONES EN MADERAS

1/4" Shank • 6" and 16" Long

Precision ground and hardened steel spade bits for general purpose drilling of hard and softwoods and wood by-products. Great for plumbing and electrical contractors.




6" Long ØD	Tool No.
1/4"	604-100
5/16"	604-150
3/8"	604-200
7/16"	604-240
1/2"	604-250
5/8"	604-270
9/16"	604-300
11/16"	604-350
3/4"	604-400
13/16"	604-450
7/8"	604-500
15/16"	604-550
1"	604-600
26mm	604-610
1-1/16"	604-620
1-1/8"	604-650
1-3/16"	604-680
1-1/4"	604-700
1-3/8"	604-730
35mm	604-740
1-1/2"	604-750

16" Long ØD	Tool No.
1/4"	604-810
5/16"	604-815
3/8"	604-820
1/2"	604-830
5/8"	604-840
3/4"	604-850
7/8"	604-860
1"	604-870

Unit Pack: Individually Carded
Also available in quick release, see page 61.

6 PIECE SPADE BIT SET

JUEGO-6 PZS. BROCAS PLANAS DE PRECISION PARA MADERA



Description	Tool No.
6 piece spade bit set includes 3/8", 1/2", 5/8", 3/4", 7/8" & 1"	604-800

Unit Pack: Individual Vinyl Pouch

AUGER BITS

BROCA PARA MADERA PARA USO EN TALADRO ELECTRICO

Auger bits require little feed pressure because the threaded lead screw will put the bit into the cut. For deep holes the auger clears its chips well and the screw point prevents the bit from wandering. Great for plumbing and electrical contractors. Packaged in vinyl pouches.



9" Long ØD	Tool No.	18" Long ØD	Tool No.
1/4"	605-100	3/8"	605-500
5/16"	605-110	1/2"	605-510
3/8"	605-120	9/16"	605-520
7/16"	605-130	5/8"	605-530
1/2"	605-140	11/16"	605-540
9/16"	605-150	3/4"	605-550
5/8"	605-160	13/16"	605-560
11/16"	605-170	7/8"	605-570
3/4"	605-180	15/16"	605-580
7/8"	605-200	1"	605-590
15/16"	605-210	1-1/8"	605-600
1"	605-220	1-1/4"	605-610
1-1/8"	605-230	1-3/8"	605-620
1-1/4"	605-240		
1-3/8"	605-250		

Unit Pack: Individual Vinyl Pouch

Also available in quick release, see page 62.

AUGER BIT EXTENSIONS

EXTENSION PARA BROCAS BERBIQUI

Extensions with 7/16" hex shank and 7/16" inner diameter.



Description	Tool No.
12" auger bit extension, 7/16" shank	605-700
18" auger bit extension, 7/16" shank	605-702

Unit Pack: Individual Vinyl Pouch

SPADE BIT EXTENSIONS

EXTENSION PARA BROCAS PLANAS



Description	Tool No.
6" spade bit extension, 1/4" shank	604-760
12" spade bit extension, 1/4" shank	604-770

Unit Pack: Individual Vinyl Pouch

THE WORKHORSE

BROCA PARA MADERA CON AUTO-ALIMENTACION

Designed for plumbers and electricians. Self-feeding boring bits for plumbing and electrical contractors. Heat treated special steel alloy for maximum wear resistance with a replaceable feed screw that easily pulls the bit through the material. Drills large diameter holes in wood for piping and conduit. Each bit includes allen wrench and extra feed screw.



Diameter	Rigid Conduit	Tubing	Length	Feed Screw	Repl. Screw	Tool No.
1"	1/2"	1/2"-3/4"	4-1/2"	500-30	500-20	600-350
1-1/8"	1/2"	1"	4-1/2"	500-30	500-20	600-352
1-1/4"	3/4"	1-1/8"	4-1/2"	500-30	500-20	600-354
1-3/8"	1-1/2"	1-1/4"	4-1/2"	500-30	500-20	600-356
1-3/4"	1-1/4"	1-1/2"	4-1/2"	500-30	500-20	600-360
2"	1-1/2"	1-7/8"	4-1/2"	500-30	500-20	600-362
2-9/16"	2"	2-1/2"	4-1/2"	500-30	500-20	600-368
3"	2-1/2"	2-7/8"	5-3/4"	500-32	500-22	600-370
3-5/8"	3"	3-1/2"	5-3/4"	500-32	500-22	600-372


Unit Pack: Individually Carded

Wrench #500-40 and extra Feed Screw included.

LOCKSET INSTALLATION KITS

JUEGO 3 PZS PARA INSTALACION DE CERRADURAS

Includes 2-1/8" hole saw with 3/8" shank arbor and either 7/8" or 1" spade bit. For installation of 2-1/8" locksets. Instructions included.



Description

3 piece kit with 7/8" spade bit

Tool No.

650-100

3 piece kit with 1" spade bit

650-200

Unit Pack: Individually Carded

3 PIECE WOOD CHISEL SET

JUEGO DE FORMONES - 3 PIEZAS



Description

3 piece wood chisel set 1/2", 3/4" and 1"

Tool No.


603-110

Unit Pack: Individually Carded

HSS LONG SLOT MORTISE BITS

BROCAS HSS PARA MORTAJAS

- 4 Flute
- Can cut both right and left hand rotation
- High Speed Steel (HSS)
- Precision ground for smooth cuts
- Used for cutting mortise slots in soft & hardwood




ØD	B	Ød	L	Tool No.
1/4"	2-3/4"	1/2"	4-3/4"	609-200
3/8"	3-1/4"	1/2"	5-1/4"	609-202
1/2"	3-3/4"	1/2"	5-1/2"	609-204
5/8"	4-1/4"	1/2"	5-3/4"	609-206
3/4"	4-1/4"	1/2"	6-1/4"	609-208

Unit Pack: Individually Carded

MORTISING CHISELS & BITS

BROCA Y CINCEL PARA ESCOPIO

Used in drill press mortising attachments. Includes both square chisel and special drill bit.




ØD	B	Ød	L	Tool No.
1/4"	1-7/8"	5/8"	8-1/4"	609-150
5/16"	2"	5/8"	8-1/4"	609-152
3/8"	3"	5/8"	8-1/4"	609-154
1/2"	3"	5/8"	8-1/4"	609-156
3/4"	3-5/8"	5/8"	8-1/4"	609-158
1/4"	1-3/4"	19mm(3/4")	8-1/4"	609-100
5/16"	1-3/4"	19mm(3/4")	8-1/4"	609-110
3/8"	2-7/8"	19mm(3/4")	8-1/4"	609-120
1/2"	2-7/8"	19mm(3/4")	8-1/4"	609-130
5/8"	2-7/8"	19mm(3/4")	8-1/4"	609-140

Unit Pack: Individually Boxed

CORNER CHISEL

CORTADOR PARA BISAGRAS

Easily cuts 90° corners for fitting hinges. Simply line the straight edges of the cut & strike the edge with a hammer. It turns your rounded corner into a neat square corner. Precision ground high speed steel.



Description

1 Corner Chisel

Tool No.

3420

Unit Pack: Individually Carded

DOUBLE EDGE LAMINATE/VENEER TRIMMER

CORTADORA DOBLE FILO PARA TAPACANTOS

Very useful shop tool for bevel trimming all types of thin laminates, thin veneers and edgebanding. Will bevel trim both top and bottom of material ranging from 1/2" to 1" thick. Features include adjustable and replaceable steel knives.



Description	Tool No.
1 Double Edge Trimmer	3400

Unit Pack: Individually Carded

Replacement Parts:

Tool No.	Description
3402	6 Piece Replacement Knife Set

SCORING TOOL - DUAL CARBIDE TIPPED

MARCADOR CON DOBLE FILO DE CARBURO

- Dual carbide tipped
- Reversible blade (stored in the handle)
- Three scoring tips, two for cutting/scoring and the third for chiseling
- Re-sharpenable carbide tips



Description	Tool No.
1 Scoring Tool	3500

Minimum order: 10 pcs.

Unit Pack: Individually Carded

DOUBLE EDGE WALLBOARD

SERRUCHO CON DOBLE FILO PARA TABLA DE YESO

General purpose wallboard saw for cutting sheetrock, gypsum board, etc. Saw features a 6" long pointed blade for plunge-type cuts and close-quarter work. Textured rubber grip handle with built-in hang hole. 12" overall length. Skin-packed for hanging display.



Description	Tool No.
1 Wallboard Saw	1014

Minimum order: 10 pcs.

END TRIMMER

RETESTADOR DE CANTOS

For trimming excess material from the end of panels. The result is high-quality cuts on all corners of the board. Features include two High Speed Steel blades (upper and lower).



Description	Tool No.
1 End Trimmer	3410

Unit Pack: Individually Carded

Replacement Parts:

Tool No.	Description
3412	2 Piece Replacement Blade Set

DIAMOND HONES

PIEDRA DE DIAMANTE PARA AFILAR

Quick & Easy Sharpening

Great for quick sharpening of router bits, shaper cutters, saw blades, chisels and knives. Sharpening surface is 3/4" wide by 2" long with tapered leading edge for difficult-to-reach areas. Excellent for sharpening carbide, high speed steel (HSS) and tool steel. Plastic handle for quick and easy handling.



Color	Grit	L	Tool No.
Green	200 Coarse	6-1/4"	4013
Yellow	400 Medium	6-1/4"	4014
Red	600 Fine	6-1/4"	4015
Blue	1200 Super Fine	6-1/4"	4016
4 Pc. Set of 1 each			4012

Unit Pack: Individually Carded

CARPENTER PENCILS

LAPICES DE CARPINTEROS

Blister packed for hang-up display. Each package contains 6 pencils.



Description	Tool No.
6 Pencils	AL-200

Unit Pack: Individually Carded



DEBURRING SYSTEM



replacement blades.

NOGA EDGE OFF SET

JUEGO DE REBABEADORES

The most economical set

Set includes:

E0 handle + S10 heavy duty blade for aluminum (green sleeve)

E0 handle + S20 blade for brass and cast iron (red sleeve)

E0 handle + S100 blade for steel (blue sleeve)

E0 handle + S150 blade for plastic (yellow sleeve)



Description

Edge Off Plastic Set

Tool No.


E02100

Unit Pack: Clamshell

NOGA EDGE OFF

REBABEADOR DESECHABLE

Disposable tool for removing burrs from steel, aluminum and plastic. A handy pocket clip is a standard feature of this tool. Includes: heavy duty S10 blade mounted in an 8mm painted hexagonal aluminum handle.



Description

Edge Off

Tool No.

E01000

Unit Pack: Individually Carded

NOGA CARBIDE DEBURRING TOOLS

REBABEADORES EN CARBURO

Heavy Duty Noga Burr 3 – NG1003

The best tool for removing burrs from steel, aluminum and plastic! Will do almost all of your deburring jobs. Easy and fast replacement of blades, stored inside the handle. Includes one each: NG-1 handle, heavy duty S10, S20 and S35 blades.



Light Duty Magic Burr 2 – NG2002

Will do almost all of your deburring jobs. Includes one each: Noga Grip 2 handle, with light duty N1 and N2 blades.



Description

Noga Burr 3

Type

Heavy Duty

Blades Included

S10, S20 & S35

Tool No.

NG1003

Magic Burr 2

Light Duty

N1 & N2

NG2002

Unit Pack: Individually Carded

NOGA CARBIDE DEBURRING SETS

JUEGOS DE REBABEADORES EN CARBURO

Light Duty "N" Promo Set – NG8000

Deburs: Steel, aluminum and plastic.

Set includes: Noga Grip 2 handle and 10pcs. of light duty N1 blades.



Description

N Promo Set holds all "N" light duty (2.6mm) blades

Tool No.

NG8000

Unit Pack: Individually Carded

SAFETY GLASSES**LENTES INDUSTRIALES DE SEGURIDAD**

Industrial

- Polycarbonate lenses to resist impact
- U.V. protection
- Hard coated plastic frames with adjustable temples in length



SG-002



SG-003*



SG-004*



SG-005*



SG-006*

*Meets requirements of ANSI-Z87.1

Description	Tool No.
Clear Frame	SG-002
Clear Frame Black Ear Pieces	SG-003
Clear Frame	SG-004
Clear Frame Black Ear Pieces	SG-005
Black Frame	SG-006

Min: 10 pieces per box

Unit Pack: Individual Poly Bag with a Header Card

HEARING PROTECTION HEADSETS**AURICULAR INDUSTRIAL PARA PROTECCION AUDITIVA**

Industrial



SH-001



SH-002



SH-003

Description	Rating	Tool No.
Black Hearing Cups	NRR=26dB	SH-001
Yellow Hearing Cups	NRR=25dB	SH-002
Gray Hearing Cups	NRR=31dB	SH-003

LANYARD FOR SAFETY GLASSES**CORDON PARA LENTES DE SEGURIDAD**

Industrial



Description	Tool No.
Green	SC-002

Unit Pack: Individual Poly Bag with a Header Card

INDEX

ÍNDICE

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
ALPHA		10030-30	42	100-22	2	160-64	5	270-22	16	420-10	21
AL-200	70	10040	42	100-26	2	160-68	5	270-24	16	420-22	21
BU-100	49	10040-30	42	100-30	2	160-70	6	270-34	16	420-30	22
BU-110	49	10060	42	100-34	2	160-80	6	270-40	16	420-50	22
BU-120	49	10060-30	42	100-38	2	160-82	6	270-42	16	420-52	22
BU-122	49	10061	43	100-40	2	160-84	6	270-44	16	420-54	23
BU-125	49	10061-30	43	100-41	2	170-10	6	270-46	16	420-60, 420-61	21
BU-130	49	10080	42	100-42	2	170-12	6	270-48	16	420-62	13
BU-140	49	10080-30	42	100-46	2	175-40C	36	270-50	16	420-70	13
BU-150	49	10081	40	100-50	2	175-41C	37	270-52	16	420-80	14
BU-200	49	10081-30	40	100-54	2	175-60B	36	270-60	16	420-82	14
BU-225	49	10181	40	100-56	2	175-60C	36	270-62	16	420-84	14
BU-250	49	10181-30	40	110-08	2	180-10	5	280-08	8	420-90	13
BU-300	49	12024	42	110-10	2	180-14	5	280-10	8	440-10	19
BU-400	49	12024-30	42	110-11	2	180-18	5	280-14	8	440-14	18
BU-450	49	12040	42	110-12	2	180-20	5	280-20	8	440-16	18
BU-500	49	12040-30	42	110-14	2	180-22	5	280-28	8	440-18	18
BU-515	49	12060	42	110-15	2	180-70	5	280-32	8	440-19	18
BU-520	49	12060-30	42	110-16	2	185-04PCD	38	280-42	8	440-22	19
BU-525	49	12080	42	110-17	2	185-06	38	300-100	39	440-24	20
BU-530	49	12080-30	42	110-18	2	185-48STL	43	300-600	39	440-26	20
EO1000	71	12096	40	110-19	2	185-505	41	305-08PCD	38	440-28	19
EO2100	71	12096-30	40	110-22	2	190-10	5	305-40	38	440-32	17
NG1003	71	12100	40	110-26	2	190-14	5	320-06	8	440-34	21
NG2002	71	23416	45	110-28	2	190-18	3	320-10	8	450-04	7
NG8000	71	25800	46	110-29	2	190-22	3	320-14	8	450-08	7
RB-102	33	33818	45	110-30	2	190-24	4	320-18	8	450-10	7
RB-103	33	33824	45	110-31	2	190-26	4	320-20	8	450-12, 450-14	7
RB-115	33	45020	45	110-33	2	190-28	3	320-22	8	450-16, 450-18	7
RB-116	33	47701	32	110-34	2	190-30	3	320-26	8	450-72	11
RB-118	33	47702	32	110-36	2	190-34	4	320-30	8	450-74	11
RB-122	33	47704	32	110-37	2	190-38	4	320-34	8	450-76	23
RB-120	33	47706	32	110-38	2	190-42	4	320-38	8	450-82	10
SC-002	72	47708	32	110-42	2	190-46	4	320-42	8	450-84	10
SG-002	72	47712	32	110-44	2	190-50	4	320-46	8	450-86	10
SG-003	72	47713	32	110-46	2	190-51	4	320-48	8	450-88	10
SG-004	72	47714	32	110-48	2	190-62	4	320-50	8	460-10	16
SG-005	72	47716	32	110-50	2	200-10	4	320-52	8	460-12	22
SG-006	72	47718	32	110-52	2	200-14	4	320-54	8	460-13	22
SH-001	72	47719	32	110-54	2	200-18	4	320-56	8	460-16	6
SH-002	72	47720	32	120-08	3	200-30	4	320-58	8	460-18	20
SH-003	72	47721	32	120-10	3	200-32	4	320-60	8	450-60	7
STF-4	49	47734	32	120-12	3	210-10	15	340-10	8	470-10	17
STF-6	49	47738	32	120-14	3	210-12	15	340-14	8	480-10	23
TDS-500	65	47743	32	120-16	3	210-20	6	340-16	8	480-20	23
TRS-100	30	47754	32	120-20	4	210-22	6	340-18	8	490-10	17
TRS-120	24	47763	32	120-24	4	215-240	36	340-22	8	500-40	69
TRS-130	29	47770	32	120-26	4	215-400	36	340-28	8	600-100	67
TRS-140	28	47771	32	120-28	4	220-10	9	340-30	8	600-110	67
TRS-150	29	47772	32	120-300	34	220-14	9	350-10	9	600-120	67
TRS-170	25	55036	44	130-10	3	220-18	9	350-12	9	600-130	67
TRS-180	25	55040	44	130-12	3	220-26	9	350-14	9	600-140	67
TRS-200	31	63020	45	130-14	3	220-30	9	350-16	9	600-150	67
TRS-210	31	63036	45	130-16	3	220-34	9	350-18	9	600-160	67
TRS-230	28	65040	44	130-50	3	220-38	9	350-20	9	600-170	67
TRS-240	24	65042	44	130-52	3	240-10	11	350-40	9	600-180	67
TRS-250	26	72524	42	135-300	34	240-14	11	360-10	10	600-190	67
TRS-260	26	72540	42	140-10	17	240-18	11	360-14	10	600-200	67
TRS-270	27	80032	42	140-14	17	240-22	11	360-16	10	600-210	67
TRS-280	27	80040	42	150-08	16	250-400	37	370-10	12	600-220	67
TRS-290	30	80060	42	150-10	16	250-600	37	370-12	12	600-230	67
TRS-310	32	82524	42	150-14	16	250-601	39	370-14	12	600-240	67
		82540	42	150-20	16	250-800	37	370-16	12	600-250	67
NUMERIC		100-01	2	150-200	35	250-801	39	370-18	12	600-260	67
1014	70	100-02	2	150-400	35	254-32	38	380-10	11	600-350	69
3400, 3402	70	100-04	2	150-70	16	255-06PCD	38	390-10	14	600-352	69
3410, 3412	70	100-08	2	160-10	5	260-10	15	390-16	12	600-354	69
3420	69	100-10	2	160-14	5	260-11	15	390-22	13	600-356	69
3500	70	100-12	2	160-18	5	260-14	15	390-30	12	600-360	69
4012 to 4016	70	100-14	2	160-20	5	260-40	15	390-40	12	600-362	69
4018 to 4019	64	100-15	2	160-22	5	270-10	16	400-10	10	600-368	69
4020	57	100-16	2	160-24	5	270-12	16	400-12	10	600-370	69
4033	63	100-17	2	160-50	5	270-14	16	400-14	10	600-372	69
4725-40C	41	100-18	2	160-54, 160-58	5	270-16	16	400-18	10	601-100	67
10030	42	100-19	2	160-60, 160-62	5	270-20	16	400-20	10	601-102	67

INDEX

ÍNDICE

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
601-110.....	67	603-110.....	69	606-112.....	55	608-202.....	58	608-574.....	62	608-760.....	60
601-112.....	67	604-100.....	68	606-114.....	55	608-204.....	58	608-576.....	62	608-761.....	60
601-300.....	50	604-150.....	68	606-116.....	55	608-208.....	58	608-578.....	62	608-762.....	60
601-302.....	50	604-200.....	68	606-117.....	55	608-212.....	58	608-602.....	63	608-763.....	60
601-304.....	50	604-240.....	68	606-118.....	55	608-214.....	58	608-604.....	63	608-764.....	60
601-306.....	50	604-250.....	68	606-120.....	55	608-216.....	58	608-605.....	63	608-765.....	60
601-308.....	50	604-270.....	68	606-123.....	55	608-218.....	58	608-606.....	63	608-780.....	57
601-310.....	50	604-300.....	68	606-124.....	55	608-220.....	58	608-608.....	63	608-782.....	57
601-312.....	50	604-350.....	68	606-126.....	55	608-250.....	59	608-609.....	63	608-784.....	57
601-314.....	50	604-400.....	68	606-130.....	55	608-251.....	59	608-610.....	62	608-800.....	63
601-320.....	50	604-450.....	68	606-132.....	55	608-254.....	59	608-612.....	62	608-802.....	63
601-330.....	50	604-500.....	68	606-133.....	55	608-256.....	59	608-614.....	62	608-803.....	63
601-332.....	50	604-550.....	68	606-134.....	55	608-258.....	59	608-616.....	62	609-100.....	68
601-340.....	51	604-600.....	68	606-136.....	55	608-260.....	58	608-620.....	62	609-110.....	68
601-342.....	51	604-610.....	68	606-140.....	55	608-262.....	58	608-622.....	62	609-120.....	68
601-344.....	51	604-620.....	68	606-142.....	55	608-264.....	58	608-623.....	62	609-130.....	68
601-346.....	51	604-650.....	68	606-143.....	55	608-266.....	58	608-630.....	63	609-140.....	68
601-348.....	51	604-680.....	68	606-156.....	55	608-268.....	58	608-632.....	63	609-150.....	68
601-350.....	51	604-700.....	68	606-157.....	55	608-270.....	58	608-633.....	63	609-152.....	68
601-352.....	51	604-730.....	68	606-158.....	55	608-272.....	58	608-634.....	63	609-154.....	68
601-354.....	51	604-740.....	68	606-160.....	55	608-274.....	58	608-635.....	63	609-156.....	68
601-358.....	51	604-750.....	68	606-162.....	55	608-276.....	58	608-636.....	63	609-158.....	68
601-360.....	50	604-760.....	68	606-164.....	55	608-278.....	58	608-637.....	63	609-200 to 609-208	69
601-362.....	50	604-770.....	68	606-170.....	53	608-290.....	60	608-639.....	63	610-102.....	53
601-364.....	51	604-800.....	68	606-172.....	53	608-292.....	60	608-640.....	62	610-104.....	53
601-366.....	51	604-810.....	68	606-174.....	53	608-294.....	60	608-642.....	62	610-106.....	53
602-100.....	56	604-815.....	68	606-176.....	53	608-296.....	60	608-644.....	62	610-108.....	53
602-102.....	56	604-820.....	68	606-178.....	53	608-298.....	60	608-646.....	62	610-110.....	53
602-104.....	56	604-830.....	68	606-180.....	53	608-300.....	60	608-650.....	62	610-112.....	53
602-106.....	56	604-840.....	68	606-182.....	53	608-302.....	60	608-652.....	62	610-114.....	53
602-108.....	56	604-850.....	68	606-184.....	53	608-304.....	60	608-654.....	62	610-116.....	53
602-110.....	56	604-860.....	68	606-186.....	53	608-398.....	61	608-660.....	64	610-118.....	53
602-112.....	56	604-870.....	68	606-190.....	53	608-399.....	61	608-662.....	64	610-120.....	53
602-114.....	56	604-880.....	61	606-200.....	55	608-400.....	61	608-664.....	64	610-122.....	53
602-116.....	56	604-890.....	61	607-100.....	66	608-402.....	61	608-670.....	64	610-126.....	53
602-118.....	56	604-900.....	61	607-110.....	66	608-410.....	61	608-671.....	64	610-128.....	53
602-120.....	56	604-910.....	61	607-120.....	66	608-412.....	61	608-672.....	64	610-130.....	53
602-122.....	56	604-920.....	61	607-130.....	66	608-420.....	61	608-673.....	64	610-132.....	53
602-124.....	56	604-930.....	61	607-300.....	66	608-422.....	61	608-674.....	64	610-500 to 610-520	53
602-126.....	56	605-100.....	68	607-310.....	66	608-430.....	61	608-675.....	64	610-602 to 610-634	53
602-128.....	56	605-110.....	68	607-320.....	66	608-432.....	61	608-676.....	64	610-700 to 610-720	53
602-130.....	56	605-120.....	68	607-330.....	66	608-440.....	61	608-677.....	64	611-100 to 611-168	54
602-132.....	56	605-130.....	68	607-500.....	66	608-442.....	61	608-678.....	64	611-200 to 611-230	54
602-134.....	56	605-140.....	68	608-100.....	58	608-450.....	61	608-690.....	63	611-500 to 611-568	54
602-136.....	56	605-150.....	68	608-102.....	62	608-460.....	61	608-691.....	63	613-100 to 613-196	52
602-138.....	56	605-160.....	68	608-104.....	57	608-470.....	61	608-700.....	64	613-200 to 613-284	52
602-140.....	56	605-170.....	68	608-110.....	59	608-480.....	61	608-701.....	64	613-400 to 613-510	52
602-142.....	56	605-180.....	68	608-112.....	59	608-490.....	61	608-702.....	64	616-100 to 616-168	55
602-144.....	56	605-200.....	68	608-114.....	59	608-500.....	61	608-703.....	64	620-150.....	66
602-146.....	56	605-210.....	68	608-116.....	59	608-502.....	61	608-704.....	64	620-180.....	66
602-148.....	56	605-220.....	68	608-118.....	59	608-504.....	61	608-705.....	64	620-200.....	66
602-150.....	56	605-230.....	68	608-119.....	59	608-508.....	61	608-706.....	64	620-250.....	66
602-152.....	56	605-240.....	68	608-120.....	59	608-510.....	61	608-707.....	64	620-260.....	66
602-154.....	56	605-250.....	68	608-122.....	59	608-512.....	61	608-708.....	64	620-350.....	66
602-156.....	56	605-500.....	68	608-130.....	59	608-520.....	60	608-709.....	64	630-100 to 630-300	66
602-158.....	56	605-510.....	68	608-132.....	59	608-522.....	60	608-710.....	64	630-310 to 630-314	54
602-160.....	56	605-520.....	68	608-134.....	59	608-524.....	60	608-711.....	64	630-400 to 630-702	66
602-162.....	56	605-530.....	68	608-136.....	59	608-526.....	60	608-712.....	64	640-100 to 640-180	46
602-164.....	56	605-540.....	68	608-138.....	59	608-528.....	60	608-713.....	64	640-200 to 640-280	47
602-166.....	56	605-550.....	68	608-140.....	59	608-530 to 608-532	65	608-714.....	64	640-300 to 640-390	47
602-168.....	56	605-560.....	68	608-142.....	59	608-550.....	60	608-716.....	64	650-100, 650-200	69
602-170.....	56	605-570.....	68	608-144.....	59	608-552.....	60	608-717.....	64	660-100 to 660-260	67
602-172.....	56	605-580.....	68	608-146.....	59	608-554.....	60	608-718.....	64	670-160.....	67
602-174.....	56	605-590.....	68	608-148.....	59	608-556.....	61	608-719.....	64	680-240.....	32
602-178.....	56	605-600.....	68	608-150.....	58	608-558.....	61	608-720.....	64	800-240.....	41
602-180.....	56	605-610.....	68	608-152.....	58	608-560.....	62	608-721.....	64		
602-182.....	56	605-620.....	68	608-160.....	60	608-562.....	62	608-731.....	65		
602-188.....	56	605-700.....	68	608-162.....	60	608-563.....	62	608-732.....	65		
602-200.....	57	605-702.....	68	608-170.....	66	608-564.....	62	608-733.....	65		
602-202.....	57	606-100.....	55	608-172.....	66	608-566.....	62	608-736.....	65		
602-330.....	57	606-102.....	55	608-174.....	66	608-567.....	62	608-750.....	60		
602-332.....	57	606-104.....	55	608-176.....	66	608-568.....	62	608-751.....	60		
602-334.....	57	606-106.....	55	608-178.....	66	608-570.....	62	608-752.....	60		
602-336.....	57	606-108.....	55	608-180.....	66	608-571.....	62	608-753.....	60		
602-338.....	57	606-110.....	55	608-200.....	58	608-572.....	62	608-755.....	60		

CONVERSION TABLE

TABLA DE CONVERSIÓN

CONVERSION TABLE

Inch Decimals	Inch Fractions (x)						Millimeters					
	/64	/32	/16	/8	/4	/2	MM	1" + (x)	2" + (x)	3" + (x)	4" + (x)	5" + (x)
								25.400	50.800	76.200	101.600	127.000
0.015625	1/64						0.397	25.797	51.197	76.597	101.997	127.397
0.031250		1/32					0.794	26.194	51.595	76.994	102.394	127.794
0.046875	3/64						1.191	26.591	51.991	77.391	102.791	128.191
0.062500			1/16				1.588	26.988	52.388	77.788	103.188	128.588
0.078125	5/64						1.984	27.384	52.784	78.184	103.584	128.984
0.093750		3/32					2.381	27.781	53.181	78.581	103.981	129.381
0.109375	7/64						2.778	28.178	53.578	78.978	104.378	129.778
0.125000				1/8			3.175	28.575	53.975	79.375	104.775	130.175
0.140625	9/64						3.572	28.972	54.372	79.772	105.172	130.572
0.156250		5/32					3.969	29.369	54.769	80.169	105.569	130.969
0.171875	11/64						4.366	29.766	55.166	80.568	105.966	131.366
0.187500			3/16				4.762	30.162	55.562	80.962	106.362	131.762
0.203125	13/64						5.159	30.559	55.959	81.359	106.759	132.159
0.218750		7/32					5.556	30.956	56.356	81.756	107.156	132.556
0.234375	15/64						5.953	31.353	56.753	82.153	107.553	132.953
0.250000					1/4		6.350	31.750	57.150	82.550	107.950	133.350
0.265625	17/64						6.747	32.147	57.547	82.947	108.347	133.747
0.281250		9/32					7.144	32.544	57.944	83.344	108.744	134.144
0.296875	19/64						7.541	32.941	58.341	83.741	109.141	134.541
0.312500			5/16				7.938	33.338	58.738	84.138	109.538	134.938
0.328125	21/64						8.334	33.734	59.134	84.534	109.934	135.334
0.343750		11/32					8.731	34.131	59.531	84.931	110.331	135.731
0.359375	23/64						9.128	34.528	59.928	85.328	110.728	136.128
0.375000				3/8			9.526	34.925	60.325	85.725	111.125	136.525
0.390625	25/64						9.922	35.322	60.722	86.122	111.522	136.922
0.406250		13/32					10.319	35.719	61.119	86.519	111.919	137.319
0.421875	27/64						10.716	36.116	61.516	86.916	112.316	137.716
0.437500			7/16				11.112	36.512	61.912	87.312	112.712	138.112
0.453125	29/64						11.509	36.909	62.309	87.709	113.109	138.509
0.468750		15/32					11.906	37.306	62.706	88.106	113.506	138.906
0.484375	31/64						12.303	37.703	63.103	88.503	113.903	139.303
0.500000						1/2	12.700	38.100	63.500	88.900	114.300	139.700
0.515625	33/64						13.097	38.497	63.897	89.297	114.697	140.097
0.531250		17/32					13.494	38.894	64.294	89.694	115.094	140.494
0.546875	35/64						13.891	39.291	64.691	90.091	115.491	140.891
0.562500			9/16				14.288	39.688	65.088	90.488	115.888	141.288
0.578125	37/64						14.684	40.084	65.484	90.884	116.284	141.684
0.593750		19/32					15.081	40.481	65.881	91.281	116.681	142.081
0.609375	39/64						15.478	40.878	66.278	91.678	117.078	142.478
0.625000				5/8			15.875	41.275	66.675	92.075	117.475	142.875
0.640625	41/64						16.272	41.672	67.072	92.472	117.872	143.272
0.656250		21/32					16.669	42.069	67.469	92.869	118.269	143.669
0.671875	43/64						17.066	42.466	67.866	93.266	118.666	144.066
0.687500			11/16				17.462	42.862	68.262	93.662	119.062	144.462
0.703125	45/64						17.859	43.259	68.659	94.059	119.459	144.859
0.718750		23/32					18.256	43.656	69.056	94.456	119.856	145.256
0.734375	47/64						18.653	44.053	69.453	94.855	120.253	145.653
0.750000					3/4		19.050	44.450	69.850	95.250	120.650	146.050
0.765625	49/64						19.447	44.847	70.247	95.647	121.047	146.447
0.781250		25/32					19.844	45.244	70.644	96.044	121.444	146.844
0.796875	51/64						20.241	45.641	71.041	96.441	121.841	147.241
0.812500			13/16				20.638	46.038	71.438	96.838	122.238	147.638
0.828125	53/64						21.034	46.434	71.834	97.234	122.634	148.034
0.843750		27/32					21.431	46.831	72.231	97.631	123.031	148.431
0.859375	55/64						21.828	47.228	72.628	98.028	123.428	148.828
0.875000				7/8			22.225	47.625	73.025	98.425	123.825	149.225
0.890625	57/64						22.622	48.022	73.422	98.822	124.222	149.622
0.906250		29/32					23.019	48.419	73.819	99.219	124.619	150.019
0.921875	59/64						23.416	48.816	74.216	99.616	125.016	150.416
0.937500			15/16				23.812	49.212	74.612	100.012	125.412	150.812
0.953125	61/64						24.209	49.609	75.009	101.409	126.809	152.209
0.968750		31/32					24.606	50.000	75.406	100.806	126.206	151.606
0.984375	63/64						25.003	50.403	75.803	101.203	126.603	152.003





Timberline™ Headquarters

120 Carolyn Boulevard
Farmingdale, New York 11735 USA

Phone: +1-631-752-1300

Toll-Free Phone: 800-445-0077

Fax: +1-631-752-1674

Toll-Free Fax: 877-676-0077 (orders only)

Website: www.timberline-amana.com

Email: tools@amanatool.com

Dealer



Form #TL-1-17

a Professional Brand of  **Amana Tool®**